

















ACKNOWLEDGEMENTS

The authors gratefully acknowledge the inputs of the participants of the Algal Bioenergy Special Interest Group (AB-SIG) Roadmapping Workshops October/November 2012. They provided the selection of the sectors most relevant to the commercialisation of algal technologies for the UK. A list of workshop participants, and summary of workshop outcomes, can be found in Appendix 1. We would also like to express our appreciation for the support of Dr Michele Stanley and Dr Tom Jenkins in writing this document, and for the co-ordination of the workshops by the Institute for Manufacturing, Cambridge. We are grateful for the feedback on draft versions of the roadmap received from the AB-SIG Programme Executive Board as well as from various stakeholders from academia, industry and the public sector.

TITLE PAGE

The wordle image¹ on the title page is based on the vision statements from participants of the two roadmapping workshops organised by AB-SIG in October/November 2012.

ABBREVIATIONS / DEFINITIONS

AB-SIG NERC-TSB Algal Bioenergy Special Interest Group

AD Anaerobic Digestion

BBSRC Biotechnology and Biological Sciences Research Council

CCAP Culture Collection of Algae and Protozoa

CEFAS Centre for Environment, Fisheries & Aquaculture Science

CPI Centre for Process Innovation
CSR Corporate Social Responsibility

DECC Department of Energy and Climate Change (UK)

GHG Green House Gas

HACCP Hazard Analysis Critical Control Point

HRAP High Rate Algal Pond HTL Hydrothermal liquefaction

insolation Amount of solar radiation reaching a given area

IP Intellectual Property

KBBE Knowledge-based bio-economy
KTN Knowledge Transfer Network
LCA Life Cycle Assessment

NOC National Oceanographic Centre

MASTS Marine Alliance for Science and Technology Scotland

MBA Marine Biological Association

microalgae In this roadmap this term is defined to include cyanobacteria

MREDS Marine Renewable Energy Development in Scotland

NERC Natural Environment Research Council

PBR Photobioreactor

Pers. comm. Personal communication

RD&D Research, Development and Demonstration (Deployment)

ROC Renewable Obligation Certificate
PML Plymouth Marine Laboratory

PRIMare Peninsula Research Institute for Marine Renewable Energy

PUFA Polyunsaturated fatty acid

SAMS Scottish Association for Marine Science

Seaveg Sea vegetable

SRA Strategic Research Agenda STW Sewage Treatment Works TSB Technology Strategy Board

yrs Years

¹ Compiled using <u>wordle.net</u>. The size of the words is proportional to how often they were mentioned in the vision statements; shade of colour and positioning are random.

DISCLAIMER

The information provided in this report was collated between January and May 2013. The choice of sectors for the case studies is based on the ranking provided by participants of the two roadmapping workshops organised by AB-SIG in October/November 2012. Data and insights from the workshops have been used to build the business case studies. Assumptions that had to be made during the workshops were, as much as possible, checked with available literature, and corrected where appropriate to ensure the accuracy of information presented in this report.

A degree of harmonization was required to summarise the outputs of the two workshops, and we apologise if in the harmonization process some aspects that have been highlighted by participants have been omitted. Adapt carries no responsibility for the accuracy of information provided by referenced sources.

CONTENTS

List of Figures	3
List of Tables	3
List of Case Studies	3
Executive Summary	4
1. Setting the Scene	7
1.1 UK science-base strengths	10
1.2 UK and global algal industries	12
1.3 Trends and opportunities for algae–derived products and services	15
1.4 UK potential for profiting from markets	17
1.5 Actions required to compete in the international market place	18
1.6 Context of previous reports	20
2. Results and Outputs	21
2.1 Biorefining: Integration with existing infrastructure and value chains (1-15 yrs)	21
2.2 Waste water remediation (1-10 yrs)	25
2.3 Bioactives: nutraceuticals (1-5 yrs), cosmeceuticals (1-5 yrs), pharmaceuticals (5-20 yrs)	30
2.4 Food and feed (1-10 yrs)	36
2.5 Chemicals (5-10 yrs for speciality, >10 yrs for commodity)	40
2.6 Bioenergy and biofuels (5-20 yrs)	45
2.7 Algae knowledge industries and technology providers (1-10 yrs)	50
3. Conclusions	53
Appendix 1	60
Summary of Roadmapping Workshops	60
Appendix 2	63
Tables on Case Studies 2. 3. 5. 7. 9. 13 and 14	63

LIST OF FIGURES

Figure 1: Timeline of activities building an algal community in the UK	7
Figure 2: Overview of workshop votes for relevance by sector	9
Figure 3: Current imbalance in the supply chain for algae in the UK	14
Figure 4: Current capacity and pricing of products from micro- and macroalgae	16
Figure 5: Indicative biorefining timeframes for macro- and microalgae	22
Figure 6: Schematic of integrated biorefining options for algal biomass	24
Figure 7: Indicative commercialisation timescales for bioremediation case studies	25
Figure 8: Indicative commercialisation timescales for bioactives case studies	30
Figure 9: Process opportunities for inclusion of algal biomass in cosmetics	33
Figure 10: Indicative commercialisation timescales for case studies on food and feed	37
Figure 11: Overview of algal product categories in animal feed	38
Figure 12: Indicative commercialisation timescales for case studies on chemicals	41
Figure 13: Biomass processing options (simplified) for energy products	46
Figure 14: Indicative commercialisation timescales for bioenergy case studies	46
Figure 15: Indicative commercialisation timescales for case studies on knowledge industries	50
Figure 16: Expected timeframe for development of commercialisation opportunities for case st	tudies53
Figure 17: Overview of recommended actions	59
LIST OF TABLES	
Table 1: Overview of research challenges and associated UK expertise, as identified in AB	-SIG Strategic
Research Agenda	
Table 2: Overview of enablers	
Table 3: Summary and rationale of recommendations for macroalgae	57
Table 4: Summary and rationale of recommendations for microalgae	
1	
LIST OF CASE STUDIES	
Case Study 1: Microalgae for denitrification of brine wash generated from purification of groun	
Case Study 2: Nutrient recovery from sewage treatment through High Rate Algal Pond microalgal biofilms	
Case Study 3: Macroalgae for the remediation of fish farm waste: Integrated Multi-Trophi	c Aquaculture
(IMTA)	
Case Study 4: Microalgae-derived nutraceuticals: Omega 3 fatty acids DHA and EPA	
Case Study 5: Macro- and microalgae-derived cosmetics	
Case Study 6: Microalgae as an expression platform for pharmaceutical terpenoids	
Case Study 7: Macroalgae as premium sea vegetable and condiments	
Case Study 8: Algal biomass for animal feed	
Case Study 9: Macroalgae to ethanol for chemicals	
Case Study 10: Macroalgae for organic fertiliser	
Case Study 11: Macroalgae for hydrocolloids	
Case Study 12: Macroalgae for Anaerobic Digestion (AD)	
Case Study 13: Microalgae for synthetic biofuels via thermochemical conversion	
Case Study 14: Knowledge industry for consultancy on algal know-how	
Case Study 15: Technology suppliers for equipment and industrial biotechnologies	52

Algae have attracted considerable interest globally as a potential feedstock for a biobased economy. The industrial and research communities in the UK have much to offer in this space: UK companies and academics have laid the foundations for several now globally-used algal biotechnology and engineering advances, and as an island nation we have a strong history in macroalgal commercial activities.

This roadmap has been commissioned by the NERC-TSB Algal Bioenergy Special Interest Group, to complement its Strategic Research Agenda of 2012. It focuses on the commercialisation potential of algaerelated products, processes and services for the UK, being mindful of environmental implications. It builds on the outcomes of two workshops held by AB-SIG in October and November 2012 with a variety of stakeholders, whose contributions

are gratefully acknowledged.

The report signposts the strengths of the UK science base, gives a snapshot of UK and global algal industries. presents and an overview of trends and algae-derived opportunities for products and services. Based on UK's these. it assesses the potential profiting for international markets, and required highlights actions compete in a global marketplace. It then presents seven sectors which

Roadmap Aims

To highlight which algal products, processes and services

- · are on the market or close to deployment
- are under development
- require considerably more R&D
- have highest potential for UK, according to community

To identify interventions needed to seize opportunities in a


- timely
- economically and environmentally sustainable way

the workshop participants had identified as being of particular relevance and value for the UK. Examples of products or processes in each sector are given in case studies which evaluate their commercial, technical and environmental strengths and weaknesses.


Sectors and their Case Studies (macroalgae: 🖖; microalgae: 🕒)

Biorefining	Lens through which business case studies can be viewed	∳ ●
Waste water remediation	Denitrification of brine wash generated from groundwater purification Nutrient recovery from sewage treatment Remediation of fish farm waste	*
Bioactives	Nutraceuticals: Omega 3 PUFAs DHA and EPA Macro- and microalgae-derived cosmetics Pharmaceutical terpenoids	*
Food and feed	Premium sea vegetable and condiments Animal feed	→
Chemicals	Ethanol Organic fertiliser Hydrocolloids	**
Bioenergy and biofuels	Biomethane via Anaerobic Digestion Synthetic biofuels via thermochemical conversion	*
Algae knowledge & technology industries	Consultancy on Algal Know-how Technology suppliers for equipment and industrial biotechnologies	∜

Each case study concludes with key actions required to develop UK competitive advantage relative to the global commercial landscape.



Indicative timescales to commercialisation for each case study are provided in the following figure:



Based on the available data, the report identifies the following areas to be **commercially most promising**:

In the short to medium term:

- high value products from both macro- (condiments and premium sea vegetables, high value uses of hydrocolloids) and microalgae (increased production of established and emerging bioactives, e.g., DHA, EPA, pigments, antioxidants, sunscreens)
- bioremediation using macro- and microalgae linked to feed and fertiliser production and decentralized energy generation via AD
- knowledge industries for technology provision and consulting

In the medium to long term:

- integrated biorefining of micro- and macroalgae coupled to fractionation or thermochemical conversion for a suite of chemical and energy products
- novel bioactives through bioprospecting (micro- and to some extent macroalgae) and metabolic engineering (microalgae) for pharma, cosmetics, nutrition

To realise these opportunities, the following were deemed by workshop participants to be **key enablers**:

Technical	 Accessible test / pilot / demonstration facilities to collect data on ecological impact, operational costs, life cycle parameters and variability of yields, all of which will underpin developing business case scenarios and scale-up Mapping potential sites for sustainable cultivation across the UK Encouraging IP generation and interdisciplinary skill development in these areas Expertise in bioprospecting, strain development and metabolic engineering / algal synthetic biology toolkits Multi-disciplinary training (biology, engineering, processing, biorefining, sales & marketing)
Financial	 Security of funding for RD&D, with increased accessibility for micro-SMEs, to attract and retain skilled personnel / entrepreneurs, and accelerate commercialisation Successful examples of algal biotechnology applications leading to increased confidence and maturing supply chains Attributing a direct value to bioremediation through financial incentives / penalties
Services	 Closer interaction and knowledge transfer between academia and chemical & pharma industries, to guide development of algal expression for platform chemicals and pharmaceutically interesting scaffold molecules Algal bio-business incubators and clusters Marketing / increasing visibility of UK expertise and products on the global stage: for environmental know-how, technologies and products Customer / public awareness and acceptance to increase demand and avoid NIMBYism
Regulation	 Providing clarity about regulatory context (macroalgae: marine licensing; microalgae: GMO regulation) Simplifying IP protection

The report concludes with a **set of recommendations** for actions by funding bodies and regulators:

Macroalgae:

- to clarify potential for sustainable harvest
- to develop clearer marine licensing procedure for offshore cultivation
- to conduct R&D into seasonality and storage

Common to both:

- to invest in
 - scale-up facilities
 - downstream processing
 - strain development and bioprospecting
- to develop supply chains matched to production capacities
- to ensure a multidisciplinary skills base

Microalgae:


- to provide clarity about GMO regulation
- to develop clearer marine licensing procedure for offshore cultivation
- to conduct RD&D into integration with waste streams
- to fund metabolic engineering / molecular toolkits

1. SETTING THE SCENE

Algae have attracted considerable interest globally as a potential feedstock for a bio-based economy. The industrial and research communities in the UK have much to offer in this space: UK companies and academics have laid the foundations for several now globally-used algal biotechnology and engineering advances², and as an island nation we have a strong history in macroalgal commercial activities. To assess how the UK might best respond to this interest and capitalise on opportunities offered by algal technologies, the UK community of stakeholders have gone through a process that was catalysed by workshops and consultations organised by, amongst others, the Carbon Trust, DECC, the Research Councils, and the NERC-TSB funded Algal Bioenergy Special Interest Group (AB-SIG, hosted by Biosciences KTN with support from the Environmental Sustainability KTN). A number of reports have been published which highlight the challenges, opportunities, strengths and gaps from different angles (see Figure 1). These include

- the DECC report 'Assessing the Potential for Algae in the UK' from 2010³ (which provided an initial assessment of UK strengths and weaknesses, and made early recommendations)
- the BBSRC scoping study 'Algal Research in the UK' from July 2011⁴ (which emphasised challenges, opportunities and expertise around biological and biotechnological research)
- the AB-SIG strategic research agenda 'Research Needs in Ecosystem Services to Support Algal Biofuels, Bioenergy and Commodity Chemicals Production in the UK' of February 2012⁵ (which highlighted challenges, opportunities and UK expertise around ecological implications of algal scaleup)

Figure 1: Timeline of activities building an algal community in the UK



² e.g., the 'Biofence' photobioreactor design and microalgal fermentation: see BBSRC scoping study 'Algal Research in the UK' p. 4; pp. 19-20; available at bbsrc.ac.uk/web/FILES/Reviews/algal-scoping-study-report.pdf


³ available at nnfcc.co.uk/tools/assessing-the-potential-for-algae-in-the-uk

⁴ available at bbsrc.ac.uk/web/FILES/Reviews/algal_scoping_study_report.pdf

⁵ available at <u>connect.innovateuk.org/c/document_library/get_file?p_l_id=2244614&folderId=7863898&name=DLFE-81879.pdf</u>; appendix at

connect.innovateuk.org/c/document_library/get_file?p_I_id=2244614&folderId=7863898&name=DLFE-81878.pdf

To complement previous publications, this AB-SIG funded roadmap focuses in particular on the commercialisation potential of algae-related products, processes and services for the UK, taking into consideration the environmental implications of such commercial activities. It builds on the body of the above-mentioned reports, as well as on the outcomes of two workshops held in October and November 2012⁶, which were run by the Institute for Manufacturing⁷ to assist AB-SIG to develop a strategic roadmap with input from a variety of stakeholder groups. In Chapter 2, we present 15 business case studies for a range of sectors which were highlighted in the



workshops as being of particular relevance and value for the UK. For each case study⁸, information is provided on:

- why this is an important market
- how the technology could be commercialised
- indicative timescales to commercialisation
- advantages over incumbent approaches
- market size and growth rate
- companies operating in this sector
- the potential of UK ecosystems to contribute to commercialisation
- technological, commercial and other barriers and risks
- fit and gaps concerning relevant UK capability
- key innovation and R&D needs
- enablers for successful UK commercialisation
- key actions required to develop UK competitive advantage relative to the global commercial landscape

Figure 2 (overleaf) highlights the seven different market sectors identified as most relevant to the UK as commercialisation opportunities. It shows subcategories for the seven market sectors, and the number of votes attributed to these by workshop participants.


_

³ 31 Oct - 1 Nov (Manchester); 5-6 Nov (London); a summary of the workshops can be found in Appendix 1.

⁷ ifm.eng.cam.ac.uk

⁸ All data has been collated in the same tabulated form; to make reading the document easier, some case studies have been summarised in text in the main body of the report. The detailed tables for those are provided in Appendix 2, to enable direct comparison of all case studies.

Figure 2: Overview of workshop votes for relevance by sector



This report aims to define the likely timeframes and actions required to establish a strong and sustainable Algal Biotechnology industry within the UK, through the sector overviews and business case studies described in Chapter 2.

The following introductory sections provide context of the current academic and industrial expertise in the UK, and the position of UK activity in the expanding global algae landscape, which inform the business case studies in Chapter 2.

One of the great assets the UK has to offer is its knowledge base, and by incorporating this expertise into commercial ventures the UK can increase its competitive advantage. Furthermore, the UK could position itself as a global provider of advice services and consulting for environmental and sustainability assessments as well as biotechnology and engineering know-how, thereby further strengthening the knowledge-based bioeconomy (KBBE).

The landscape of algae-related expertise in biological and environmental sciences and engineering in the UK has been investigated both in the BBSRC Scoping Study of 2011, and in the AB-SIG Strategic Research Agenda of 2012.

The BBSRC scoping study describes the knowledge landscape as follows:9

- Academia in the UK has great expertise in the environmental and ecological sectors for both microand macroalgae, especially (but not exclusively) in the marine sector.
- The UK's expertise in life cycle assessment (LCA) is also of importance globally.
- The algal culture collections in the UK are internationally highly regarded.
- Both academia and industry are actively involved in designing photo bio-reactors (PBRs) and integrated systems for producing algal biomass.
- Fundamental biology is one of the UK's key strengths, and a wealth of experience exists in taxonomy, physiology, metabolism, biochemistry and molecular biology of algae. This expertise is now increasingly being employed in a biotechnological context, with high relevance to underpinning a bio-based economy.

The AB-SIG Strategic Research Agenda has identified UK-based expertise relevant to each of its research challenges; an overview of this is given in Table 1.

Further detail on snapshots of the expertise landscape can be obtained from Chapters 1 and 5 of the BBSRC scoping study, and up-to-date contact details and introductions to the relevant academic expertise can be obtained for example via the AB-SIG Knowledge Exchange Fellow, who will be in post until Dec 2015, and Biosciences KTN in general.¹⁰

The UK therefore has a highly valuable base of expertise, and current support networks (e.g., AB-SIG, the KTNs) are providing a crucial role to facilitate access to this expertise for the benefit of algae-focused commercial ventures. However, continuity of funding is essential to maintain this advantage: both R&D funds to attract and retain academic excellence, and resources to provide continuity and expansion of the support networks that facilitate successful project development between academia and industry, will be essential if the UK is to establish a globally competitive algal commercial sector. With funding for the AB-SIG staff terminating in Dec 2015, it is essential that a lasting legacy, together with a platform for expansion, of the knowledge transfer activity in the algal sector are set up.

¹⁰ Other networks that can facilitate introductions include the EnAlgae project (<u>enalgae.eu</u>), the InCrops Enterprise Hub (<u>incrops.co.uk</u>), the European Algae Biomass Association (<u>eaba-association.eu</u>), and the Algae Biomass Organization (<u>algaebiomass.org</u>).

⁹ p. 10 of BBSRC scoping study 'Algal Research in the UK', available at bbsrc.ac.uk/web/FILES/Reviews/algal_scoping_study_report.pdf; for more detail on the academic expertise reviewed see Chapters 1 and 5.

Table 1: Overview of research challenges and associated UK expertise, as identified in AB-SIG Strategic Research Agenda (for abbreviations see glossary)

No	Research challenge	Associated expertise	UK institutions with said expertise (U=University)
1	Identify the key environmental factors influencing yield and	- algal cultivation expertise in macroalgae	- SAMS, UNewcastle, Queens U Belfast
	biochemical composition of algae	- algal cultivation expertise in microalgae	- SAMS, PML, NOC, UNewcastle USwansea
		 biochemical variations in macroalgae for thermochemical / biochemical conversion processes 	- UNewcastle SAMS, ULeeds, UAberystwyth
2	Identify suitable sites for algal production	- marine spatial planning expertise	- The Crown Estate, SAMS, USouthampton Solent, UHeriot Watt, UDundee, UStirling
	production	 hydrodynamics, biogeochemical cycling, and phycology modelling 	- USwansea, UStrathclyde, UNewcastle, UK Hydrographic Office, CEFAS, <i>et al</i>
3	Develop LCA capability including carbon balance and sustainability information	- LCA	 Imperial College London, UManchester, USheffield Hallam, USouthampton, UAberdeen, UBath; North Energy, E4Tech
	suitable for aquatic and marine systems	- algal LCA	- PML, UManchester, UBangor, USwansea, UCambridge, ERM Ltd
	•	- sustainable management of marine resources	- MASTS
4	Assess the potential for algal diseases to affect cultivated	- modelling expertise	- UStirling, NOC, PML, SAMS - PML, SAMS, UNewcastle <i>et al</i>
	algae and wild stocks	- algal pathology	<u> </u>
5	Identify the biosecurity issues associated with using non-	- assessing the impact of invasive seaweed species	- Queens U Belfast
	native or modified algal strains	 assessing the impact and dispersal of marine aliens 	- UPortsmouth, SAMS, PML, MBA
		- modelling biosecurity issues	- USwansea
6	Identify the role of algae in carbon and nutrient cycling	- algal carbon and nutrient cycling	 CEFAS, UEast Anglia, UBristol, UPortsmouth, UEssex, UGlasgow, ULeeds
	carson and nament eyemig	- carbon cycling	- UNewcastle, UOxford
		- locking carbon into the land through	- ULeeds, UAston, UNewcastle, Scottish
		hydrothermal processing and anaerobic digestion (incl. agricultural expertise, soil science)	Agricultural College, Harper Adams College, ADAS, Rothamsted Research, UCranfield <i>et al</i>
		- carbon sequestration via biochar	- UK Biochar Research Centre, UEast Anglia
7	Assess to what extent algal farms attract or repel marine	- assessing the impact of renewables devices on biodiversity, developing	- USt Andrews, SAMS, UAberdeen, UBangor, PRIMare, UBournemouth, UExeter
	mammals	tracking systems, telemetry	
		- assessing environmental/ecological risks of marine renewable devices	· -
		 assessing effects of offshore wind turbines on marine mammals 	 general: Sea Watch Foundation, Whale and Dolphin Conservation Society, Marine
			Conservation Society, Joint Nature Conservation Committee
8	Understand to what extent	- assessing the impact of renewables	- see above (challenge 7)
	algal cultivation affects biodiversity in the farm, the water column and benthic	devices on marine biodiversity - assessing impacts of renewable energy on benthic environments	- Environmental Research Institute
	environment	- sediment dynamics	- USt Andrews, UCardiff
		- marine ecology	 - UBangor, CEFAS, USwansea, SAMS, MBA, NOC, UAberdeen, UYork; APEM Ltd, Partrec,
0	Understand the etmanheric	atmospharia shamistra	Marine Ecology Solutions, EMU Ltd <i>et al.</i>
9	Understand the atmospheric effects resulting from trace gas emissions from algal growth	- atmospheric chemistry	 - UYork, PML, UEast Anglia, NOC, UEssex, SAMS, UWest of England, UNewcastle, ULeeds, UManchester
40		- emissions from terrestrial plants	- ULancaster
10	Identify best configuration of algal farm to maximise yield and environmental benefits	- farming of algae on a large scale	- CEFAS
11	Identify mechanisms to overcome nutrient limitation in offshore environments	- implications of artificial upwelling on biogeochemical cycles	- CEFAS, UEast Anglia, UEssex, UGlasgow, ULeeds
	SHOULD CHAIRCHILDING		

The algae-related business community is expanding in the UK as well as globally, with a considerable degree of fluctuation. There are fundamental differences between macro- and micro-algal activities.

Macroalgae

Globally, macroalgae are both collected from the wild (e.g., in the UK, Ireland, Norway, the US and Chile) and cultivated (esp. in China, Indonesia and the Philippines), predominantly for food, feed, fertilisers, chemicals and cosmetics. In Northern Ireland, where Anaerobic Digestion (AD) attracts quadruple Renewables Obligation Certificates (ROCs), macroalgae are becoming increasingly interesting as a component in mixed feedstock AD operations.

In the UK, macroalgae are a traditional crop. They have been wild-harvested and used for food, feed and as fertiliser in coastal communities for centuries. A core of commercial activity is hence well established: Companies such as the Hebridean Seaweed Company, Böd Ayre, Mara, Irish Seaweed, Viking Fish Farms, and Seagreens harvest seaweeds (2,000-3,000 dry tonnes total harvest per year in the UK¹¹) from the wild and produce food and feed products as well as speciality chemicals and fertilisers.

Particularly given the extended coastline, the opportunities for macroalgae in the UK extend beyond their current applications, both in terms of high value bioactives and (in the longer term) commodity products. In addition, they can contribute to bioremediation, and there is scope for expansion and a renaissance in traditional uses. Examples of opportunities are given in case studies three (bioremediation), five (cosmetics), seven (food), eight (feed), nine (chemicals/ethanol), ten (fertilisers), eleven (hydrocolloids) and twelve (bioenergy/methane) of Chapter 2. Some novel applications are already being commercialised, but fulfilling the wider potential will require increased production capacity, through wild harvest, but mainly through cultivation, for example on long-lines. Sustainable wild harvest is close to maximum capacity at the locations with current activity; expansion may be possible in some new geographical areas¹². Barriers include accessibility of wild stocks and safety considerations for harvesting, access rights, and environmental considerations. In order to estimate the possible sustainable increase in wild harvesting, recent data on both stock availability and true long-term environmental impact will need to be consolidated and ideally expanded (the last thorough review of stocks was carried out by F. T. Walker in the late 1940s¹³; a more recent study focused just on the Outer Hebridies¹⁴, further studies are under way at MBA¹⁵ and at The Crown Estate, through the Natural History Museum¹⁶). Any environmental impact assessment needs to address both type and quantities of seaweed to be harvested, frequency of harvesting and recovery times¹⁷.

Cultivation does not have a long-standing history in the UK; however, pilot scale-up on long-lines is under way (e.g., at SAMS, Queens University Belfast, Böd Ayre, Hebridean Seaweed Company, and through The

¹² Current data seems to indicate that large-scale and sustained harvesting of natural stocks of most (possibly all) seaweeds in most locations is unsustainable. (Pers. comm., Prof Michael Cowling, The Crown Estate, May 2013) ¹³ Walker, FT (1947), A Seaweed Survey Of Scotland–Fucacae. *Proceedings of the Linnean Society of London*, 159: 90–99

¹⁷ The Norwegians wild harvest 170000 wet tonnes of kelp annually. This is done in a strict five year rotation between the different areas which are licensed to ensure the minimum amount of environmental impact.

¹¹ Pers. comm., Michele Stanley, Feb 2013

Michael T. Burrows, Martin Macleod, Kyla Orr: Mapping the intertidal seaweed resources of the Outer Hebrides,
 Scottish Association for Marine Science Internal Report No. 269 (2010)
 Monitoring abundance and distribution of rocky intertidal macroalgae, e.g., mba.ac.uk/fellows/nova/

¹⁶ 2 studies: (a) Aim: To document the biodiversity of the intertidal seaweeds of the Outer Hebrides, an area of interest for seaweeds and which has been identified as a major gap both in the Natural History Museum seaweed collections and The Crown Estate knowledge. (b) Aims: (i)To undertake a detailed review of evidence of changes in the large brown zone-forming seaweeds in the UK, and ii) to evaluate available satellite and bathymetry data and map the current status of the resource in order to create a baseline by which comparisons can be made. *Both reports should be published by the winter of 2013.* (Pers. comm., Prof Michael Cowling, The Crown Estate, May 2013)

Crown Estate). Establishing how seaweed cultivation can be done at scale in an environmentally and economically sustainable manner is of paramount importance for developing this industry. The Bioenergy TINA estimates "up to 0.6Mha of sea would need to be used to grow macroalgae for energy production, in line with DECC 2050 pathways analysis. Future detailed analysis from The Crown Estate is expected to offer further insights into the area of the UK seabed which macroalgae could be farmed on. Initial insights from this indicate that significantly greater production might be possible, by a factor of two or three. However, increased production will not necessarily mean greater use as an energy source, owing to the higher profitability of macroalgae in pharmaceutical, chemical and food markets." The Crown Estate has commissioned studies on ecosystem effects of large-scale seaweed farming. The report from Phase 1 was published in October 2012¹⁹; Phase 2 is due to be completed in 2014²⁰.

Microalgae

Microalgae are globally grown at significant scale for high value food, neutraceutical and cosmeceutical use, e.g., in Australia (>650 ha of open ponds for beta-carotene²¹), the US, China and Israel. Microalgalderived biofuels are currently developed both through heterotrophic cultivation (e.g., Solazyme²²), and phototrophic growth (e.g., Algenol²³, Sapphire Energy²⁴).

Microalgal cultivation in the UK is predominantly still at R&D scale. Although we have had a succession of highly innovative algal (bio)technology companies since the 1980s, that have been the cradle for heterotrophic DHA production as well as tubular photobioreactor designs (c.f. BBSRC Scoping Study "Algal Research in the UK", Chapter 1.3²⁵, for a history of UK algae companies), the volume of phototrophically grown microalgae has until recently been negligible. Widespread interest in commercialising microalgae has arisen in the UK community mainly over the last decade; initially through the global interest in algal biofuels, and more recently through their potential as an industrial biotechnology platform and for bioremediation. Examples of commercial opportunities are provided in case studies one (groundwater denitrification), two (sewage treatment), four (omega-3 polyunsaturated fatty acids (PUFAs)), five (cosmetics), six (pharmaceuticals), eight (feed) and 13 (synthetic fuels) of Chapter 2.

Microalgae are currently either being grown²⁶ by early stage companies that, although promising, do not yet have any significant production capacity (e.g., Aragreen, AlgaeCytes; previously Merlin Biodevelopments and Scottish Bioenergy²⁷), by research institutions at R&D scales, or by the aquaculture industry for their own use. By contrast, the heterotrophic growth of microalgae for DHA is commercially established in the UK at a capacity of 800,000L fermentation volume²⁸.

Despite the increased interest, the overall photoautotrophic production of microalgae in the UK is estimated to be only between one and five dry tonnes per year²⁹, mostly at pilot scale. With the possible exception of

Available at the crownestate.co.uk/media/358662/initial environmental consideration of largescale seaweed farming.pdf

¹⁸ TINA Bioenergy Summary Report, September 2012, LCICG, page 11; available at carbontrust.com/media/190038/tina-bioenergy-summary-report.pdf

examining standing stock in certain areas so as to put the anticipated ecosystem effects due to large scale farming into context of existing natural processes (pers. comm., Prof Michael Cowling, The Crown Estate, May 2013)

e.g., Cognis Dunaliella plants at Whyalla (400ha) and Hutt Lagoon (≥250ha); also smaller facilities (e.g., Aurora LLC at Karratha)

solazyme.com/technology

^{23 &}lt;u>algenolbiofuels.com/</u>; they are producing 8000 gallons per acre per year of ethanol for <\$1 per gallon photoautotrophically with a marine cyanobacterium in a 36-acre closed demonstration facility

sapphireenergy.com/; they are producing biocrude from algae grown in open saltwater ponds in a 300-acre demonstration plant

bbsrc.ac.uk/web/FILES/Reviews/algal scoping study report.pdf

Unless specified, we use 'growth' synonymous with photoautotrophic growth.

²⁷ Technology providers such as Algenuity and Varicon Aqua, although they grow some biomass, do not aim at being producers. ²⁸ Pers. comm., New Horizons Global, Jan 2013

²⁹ Exact amount is unknown; the calculation is based on the 16,000L PBR at Boots, where the average productivity is 0.4 g/L/day (pers. comm., Steve Skill), with ca 200 days of operation per year, resulting in 1.3 dry tonnes per year. Swansea University have 1,600L PBRs, resulting in 0.13 dry tonnes, using the same assumptions. A few other

the Boots-PML venture at Nottingham, these pilots are too small to make meaningful projections. The UK does not currently have open-access facilities operating at adequate scale to enable innovative SMEs to demonstrate new commercial routes can operate with technical and economic viability at pilot scale. In addition, the volumes of algae currently produced are insignificant compared to the requirements of most industries interested in the material as a feedstock. This constitutes a serious bottleneck in the development of microalgal technologies. Urgent investment is needed into larger, strategically positioned open access test, pilot and demonstration facilities, to prove economic and technological feasibility, environmental sustainability and public acceptability of commercialisation opportunities such as those given in the case studies in Chapter 2.

Features common to macro- and microalgae

Despite their differences, the supply chains for macro- and microalgal products have several features in common:

- Many industries have resources to offer that could be used for algal growth (e.g., nutrient waste streams, land / marine space, for microalgae also CO₂, low-grade heat). However, since turn-key solutions for algal growth and harvesting at commercial scale relevant to UK conditions do not exist as yet, these potential input providers hesitate to invest into pilot facilities or RD&D projects due to the associated risks.
- A multitude of companies are interested in using algal biomass, but they are held back by the high price of algae, and/or shortage of supply due to limited current production capacity.
- The UK is rich in technology providers who can underpin the transition of algal growth out of R&D scale into commercial production; however many are themselves still in the process of moving to industrially relevant technology readiness levels.

The limited current production capacity (and for microalgae, the shortage of test, pilot and demonstration facilities) constitutes a serious bottleneck in the supply chain. This leads to a marked imbalance along the supply chain (see Figure 3), which is more pronounced for micro- than macroalgae.

The need for accelerated scale-up of sustainable macroalgal cultivation on long lines, and for accessible test and pilot sites for microalgae (paving the way for demonstration and deployment) is a recurring theme throughout the report.

Figure 3: Current imbalance in the supply chain for algae in the UK



research institutions have similarly sized PBRs (*e.g.*, Queens University Belfast, Cranfield University, Birmingham City University, PML, Bath). The amount produced by the aquaculture industry for their own use, and by young companies such as Aragreen and AlgaeCytes, is unknown.

1.3 Trends and opportunities for algae-derived products and services

Products

Macroalgae

While the majority of macroalgal biomass grown in the UK is currently used for comparatively low value applications, such as fertilisers and animal feed (based on traditional use; e.g., Hebridean Seaweed company; Böd Ayre, Uist Asco), there is a trend towards addressing higher value markets such as condiments for human food, and inclusion in cosmetics products (e.g., 'Rest and be thankful' range by Made in Heaven³⁰; Seaweed Organics and Scottish Botanicals by Diana Drummond Ltd³¹). Some biomass is also being used for processing into hydrocolloids (Marine Biopolymers, Cybercolloids). This trend should be encouraged, in order to develop this feedstock for further high value applications (such as novel uses for hydrocolloids in drug delivery, personal care and food, fucoidins for functional foods), especially in the context of industrial biotechnology and biorefining. In addition, companies and research institutions are preparing for scale-up of production on long lines, to underpin the longer-term development of this feedstock for commodity chemicals and bioenergy (c.f. Figure 4).

Microalgae

In response to the persistent challenges surrounding the commercialisation of microalgal biofuels, several companies that were founded as part of the biofuels wave are (re)positioning themselves towards

- providing technologies rather than bulk biomass (e.g., Solix³²; Heliae³³; BioProcess Algae³⁴)
- dual value chains of health/feed and energy products (e.g., Solazyme³⁵; Cellana³⁶)³⁷
- heterotrophic growth for high spec products (e.g., Solazyme Roquette Nutritionals³⁸).

Considerable potential exists to increase market penetration for currently successfully commercialised products, such as nutraceuticals and high value food and feed ingredients, cosmeceuticals and speciality chemicals (e.g., pigments, antioxidants, fertilisers and polysaccharides). This is contingent on an increase in production capacity, and on successful marketing of the benefits of algae-derived products and ingredients, which provide justification for paying a premium price. In addition, both bioprospecting and metabolic engineering (using algae as a chassis for novel products) are expected to lead to a suite of new algae-derived high value products, particularly for pharmaceutical and chemical use. Any penetration beyond the speciality markets however requires a simultaneous increase in production capacity and reduction in cost of algal biomass or product (see Figure 4).

Due to increase in global population, and the move towards protein-richer diets, there is great need for protein for food and especially feed, and microalgal protein would be a logical potential replacement for the highly unsustainable feedstock fishmeal (c.f. Case Study 8 in Chapter 2). The price for fishmeal in 2012 was £1.36/kg (£2/kg digestible crude protein)³⁹. Economic modelling of microalgal biomass produced on small scale in the EU⁴⁰ predicts a minimum price of £20/kg dry biomass⁴¹, while e.g., Chlorella can be imported from China for €5/kg dry weight⁴². The EU prediction is based on an R&D facility, and costs would be reduced through economy of scale in commercial operation, including savings in personnel costs.

madeinheavenuk.co.uk/product-category/rest-and-be-thankful/

seaweedskinfoods.co.uk/

solixbiofuels.com/

heliae.com/

bioprocessalgae.com/

solazyme.com/market-areas

Qualitas Health, focusing on commercialisation of EPA, has arisen from the ashes of the 1st algal biofuels company GreenFuel Technologies; c.f. algaeindustrymagazine.com/aim-interview-dr-isaac-berzin/ srnutritionals.com/

World Bank Commodity Markets "Pink Sheet" worldbank.org/prospects/commodities

⁴⁰ Based on yields 16 tonnes per hectare per year

⁴¹ Pers. comm., Chris de Visser, EnAlgae project.

⁴² BBSRC Algal Scoping Study, Chapter 3, p. 36; <u>bbsrc.ac.uk/web/FILES/Reviews/algal_scoping_study_report.pdf</u>

Savings in terms of land use efficiency and material costs are less pronounced when scaling up on surface area (as is required when harvesting sunlight) compared to scaling on volume (in heterotrophic growth, or internally lit photobioreactors), and are technology-dependent. Proof of concept will have to be provided to see if larger-scale production, coupled with technology innovation and optimized cultivation techniques, can lead to sufficiently low costs to be able to address the fishmeal market. This applies also for any other commodity and value-added product derived from microalgae. In the meantime, there are opportunities to couple staged scale-up of production capacity⁴³ with addressing specialty feed markets such as supplements and premium pet feed.

Special applications
> £5000/kg

Neutraceuticals and
Cosmeceuticals
> £2000/kg

Speciality Products
£5-£1000 /kg

Added value commodities
£1-£5/kg

Base commodities / fuels / energy/ feed and bioremediation services <£1/kg

Figure 4: Current capacity and pricing of products from micro- and macroalgae⁴⁴

Technologies

In order to overcome the challenges currently associated with scaling algal growth up, such as optimizing productivity and lowering the cost and energy requirement of growth, harvesting and processing, innovative technologies are essential. Globally this is an expanding and successful field. Due to its strong R&D profile and innovation record, the UK is well placed to produce relevant game-changing technologies. These also include molecular toolkits and methodologies to develop algae as a platform for industrial biotechnology. The challenge will be to pull these innovations through to the market (traditionally many UK inventions have not emerged from the 'Valley of Death' due to lack of funding to move from proof of concept to product), and then provide global visibility to achieve market penetration.

Volume

⁴³ Current production capacity in the UK is struggling even to meet the quantities of biomass required by the feed industry to conduct feed formulation trials, and would have to grow by several orders of magnitude for the market to be able to embrace algae as a staple feed ingredient. Targeting supplements and niche feeds will still require further increase in production capacity, but can be achieved more realistically in the near term.

⁴⁴ Adapted from Figure 2, SRA Appendix p. 61; available at connect.innovateuk.org/c/document_library/get_file?p_l_id=2244614&folderId=7863898&name=DLFE-81878.pdf

Know-how

A significant new development is the increasing global awareness of the importance of sustainability factors in scale-up of algal growth. The US Department of Energy, for example, commissioned a report in 2012 on "Sustainable Development of Algal Biofuels in the United States" 45, which highlights the importance of life cycle assessment, cumulative impact analysis and ecosystem service analysis. The UK's extensive expertise in these areas could and should be used to provide consultancy services on an international level. A key challenge lies in marketing the benefits of such services to increase uptake.

In addition, a number of niche markets exist where UK expertise can play a consulting role. Algae are increasingly being embraced by the creative industries. Architects and designers exhibit a strong desire to incorporate biological materials in the built environment⁴⁶. The potential algae have for bioremediation of nutrient rich wastes, for air purification, and (in the case of microalgae) natural shading, whilst at the same time producing biomass which could be used for e.g., energy generation or as soil improver, has captured their imagination. UK algae experts have started to engage with these ideas, and - while injecting realism work with the creative industries to harness their enthusiasm and to test which of the futuristic ideas could be developed at which timescales. Consultancy services with openness for such cross-disciplinary work could lead to innovative products and solutions, and successful follow-on businesses.

1.4 UK potential for profiting from markets

Macroalgae

Due to the extensive coastline, macroalgae have a high potential for scaled growth in the UK. There are legal limits, informed by sustainability requirements, on how much seaweed can be collected from the wild⁴⁷; some expansion of wild harvest may still be possible (levels of wild harvest in areas where companies currently operate are close to the sustainability limit; further expansion may be possible in new geographical areas, but may be limited by issues such as accessibility and ecological impact; see Section 1.2). Substantial increase can be achieved by near-shore (in the short- and medium term⁴⁸) and off-shore (long-term⁴⁹) cultivation on long-lines (if possible to be developed in conjunction with other infrastructure such as wind farms, see Section 2.1). In the first instance this would satisfy demand for high-value products which do not require intensive or novel processing; as the field matures the biomass could be fed into biorefining, with a variety of potential product streams, including energy (c.f. Sections 2.1 - 2.6).

Microalgae

Given the high population density of the UK, and the strong emphasis on a knowledge-based bioeconomy, the UK is best suited to developing algae for high value applications, where our biotechnology and metabolic engineering expertise comes to the fore, and where medium-sized production capacity is appropriate. There are significant opportunities for developing distributed microalgal cultivation, in the context of integrated biorefining and bioremediation, for high value and value-added products. This will be elaborated in Sections 2.1 - 2.5. In addition, there is great potential to export underpinning technologies and know-how by working collaboratively with partners abroad who have sufficient space and higher insolation for extensive large-scale microalgal cultivation on land (c.f. Section 2.7).

⁴⁵ Available at download.nap.edu/catalog.php?record_id=13437

⁴⁶ Currently this is led by Germany and France; see <u>algaeindustrymagazine.com/hamburgs-biq-house/</u> and algaeindustrymagazine.com/ennesys-launches-green-building/

In addition, permission has to be granted by the owner of the beach to harvest from wild

⁴⁸ Pathway A in AB-SIG SRA, available to members of AB-SIG at connect.innovateuk.org/c/document_library/get_file?p_l_id=2244614&folderId=7863898&name=DLFE-81879.pdf

^{≥10} years; pathway B in AB-SIG SRA, available to members of AB-SIG at connect.innovateuk.org/c/document library/get file?p I id=2244614&folderId=7863898&name=DLFE-81879.pdf

Large scale land-based microalgal cultivation is possible in the UK if the biomass is grown heterotrophically in fermenters that are scaled on volume rather than surface area. This is already established⁵⁰, and has been highlighted in the AB-SIG SRA⁵¹ as a near-term market opportunity for the UK. Although this option removes one of the great selling points of algae, *i.e.*, harnessing the energy of sun light (like other fermentations it depends on sugars from another photosynthetic process), it is a biotechnologically exciting and profitable⁵² way to provide sought-after microalgal products such as DHA, and to add microalgae to the available toolkit for deriving fermentation products.

Substantial opportunities for producing bulk commodity products will arise once technologies are available that allow off-shore microalgae cultivation. Due to the technological challenges and environmental risks associated with off-shore cultivation, the expected timescale for commercialisation is ≥25 years (*c.f.* AB-SIG SRA⁵³, where microalgae cultivated in enclosed off-shore systems for biofuel production is described as one of the pathways for bioenergy in the UK).

Services

The UK's algae-related expertise, be it in biotechnology, environmental sciences or (chemical) engineering, has a great potential to be harnessed for a vibrant knowledge industry. The increased focus on impact in the funding landscape is encouraging university staff to become involved in consultancy projects. In many cases this still happens haphazardly rather than in a structured manner, and culturally there are still hurdles to be overcome to unlock more of the potential for the benefit of a sustainable algal industry in the UK. Again important development factors include building a portfolio of service offerings, and increasing visibility of these services on the national and international stage.

1.5 Actions required to compete in the international market place

The most urgent action relates to **capacity building**, both in terms of production volume and trained personnel, enabled by relevant **funding streams**.

Capacity building & funding: Production

For **macroalgae**, cultivation (near- and eventually off-shore) needs to be expanded in an environmentally sensitive way to grow feedstocks for high-value products and, if production costs and ecological considerations allow, eventually base commodities. Further information is needed on the environmental risks of scale-up, as has been detailed in the AB-SIG SRA. Such data needs to be collected in publically (co-)funded pilot and demonstration projects, so that the data will be unbiased and fully available. This is essential for de-risking, and will pave the way for building solid business cases and attracting private investment.

Microalgae need to move out of the lab into an increasing number of test and pilot sites in order to allow collection of commercially relevant data on yield, process resilience, scalability and costs, as well as provide sufficient quantities of biomass to allow potential end users to conduct trials. Multiple sites are needed across the UK to test different ways of integrating into a spectrum of existing infrastructure (e.g., with AD, coal-/oil-/gas-/biomass-based combustion, groundwater denitrification, sewage works, thermochemical conversion and fractionation infrastructure; c.f. Section 2.1 and microalgal case studies).

connect.innovateuk.org/c/document_library/get_file?p_l_id=2244614&folderId=7863898&name=DLFE-81879.pdf

52 As evidenced by the success of Martek / DSM

⁵⁰ The Liverpool-based company New Horizons Global, who have changed ownership in 2012, have a fermentation capacity of >1000m3, with a production capacity of 3500-4000Mt of biomass/year ⁵¹ Pathway C of AB-SIG SRA; available to members of AB-SIG at

⁵³ Pathway E of AB-SIG SRA; available to members of AB-SIG at connect.innovateuk.org/c/document_library/get_file?p_l_id=2244614&folderId=7863898&name=DLFE-81879.pdf

Test programmes need to target different strains, nutrient sources (different industrial nutrient / flue gas waste streams, nutrient-rich marine or freshwater sources, different nutrient regimes to optimize composition of biomass for desired end uses), growth technologies (a variety of open and closed PBRs) and a spectrum of harvesting, dewatering and processing options, to provide a sufficiently resolved picture of which combinations lead to best yields, quality, resilience and lowest costs. The dependence of photoautotrophic growth on geographical factors such as insolation, rainfall (for open ponds) and local biodiversity (competing microalgae, predators, disease carriers) means that a network of pilot sites in a variety of strategic locations will be more valuable than one large national facility. For heterotrophic growth, this dependency on geographical location does not exist, and the excellent facilities at CPI can provide the necessary open-access testing for the UK as a whole.

Currently microalgal technologies sit in the dangerous 'Valley of Death' – they are ready to exit the lab and enter scale-up, but without a sound body of commercially relevant data from test and pilot facilities the economic risks associated with this first step are prohibitive for securing investment from industry. To enable entrepreneurs and companies to draw up firm business cases, it will require public sector funding to provide test growth facilities where relevant data can be collated that will help to define the risks better and mitigate against them.

Capacity building & funding: Personnel

It is internationally recognised⁵⁴ that we need more **skilled personnel** that are able to work across a large spectrum of disciplines. To develop the full potential of algae for a bio-based economy, teams are needed that combine expertise in biotechnology, environmental sciences and (chemical) engineering, and in addition have a sound grasp of market dynamics and business reality, as well as a true entrepreneurial spirit. Structures need to be put in place that allow these disciplines to interact, and that train and inspire a cohort of well-rounded 'algaepreneurs'.

To establish a UK algae-based knowledge industry which unlocks more of the relevant available expertise, it will be necessary to encourage structures which increase the **flexibility** of moving between commercial activities and academic positions, e.g., through secondments.

Finally, **marketing** plays an important role: both in terms of highlighting the benefits of algal products to increase uptake as production capacity expands, and as regards advertising the expertise we have to offer to the world stage.

19 | Page

_

⁵⁴ The Algal Industry Survey 2008 (published February 2009), available at: <u>ascension-publishing.com/BIZ/algal-industry-survey.pdf</u>

1.6 Context of previous reports

In the BBSRC Scoping Study of 2011, one chapter was dedicated to an overview of algal products and their indicative market value, and another chapter summarized opportunities for future commercialisation arising from algae-related R&D. Together with highlighting the UK's academic expertise relating to algae, it also gave a brief snap-shot of the algal industry landscape. However, the report focused on early technology readiness levels, in line with being commissioned by a research council. No business case studies were given, and the topical emphasis was placed on industrial biotechnology without significant consideration of ecological impacts.

The Strategic Research Agenda commissioned by AB-SIG in 2012 highlighted research challenges in the first instance, giving prominence to environmental considerations. It also provided five different pathways towards a variety of macro- and microalgae-based products, with a focus on larger scale production (in the order of 10 ha for macroalgae) for bioenergy and bulk chemicals. These pathways will be cross-referenced in the more detailed case studies which are presented in Chapter 2. In contrast, this roadmap is agnostic about scale and presents a range of sectors, including but not focused on energy or chemicals, which through the roadmapping workshops have been identified as commercially significant opportunities for the UK.

The authors are indebted to the participants in the AB-SIG roadmapping workshops⁵⁵, who have provided valuable data and insights which have been used to select the sectors or relevance, and build the business case studies.

Assumptions that had to be made during the workshops were, as much as possible, checked with available literature, and corrected where appropriate to ensure the accuracy of information presented in this report.

Roadmap Aims

To highlight which algal products, processes and services

- are on the market or close to deployment
- · are under development
- require considerably more R&D
- have highest potential for UK, according to community

To identify interventions needed to seize opportunities in a

- timely
- economically and environmentally sustainable way

A degree of harmonization was required to summarise the outputs of the two workshops, and we apologise if in the harmonization process some aspects that have been highlighted by participants have been omitted.

The roadmap is to be seen in the context of previous reports, see Figure 1. Going forward, we envisage that the data from scale-up facilities on operational costs, variability of yields, life cycle parameters and ecological impact, once it is available, will make it possible to turn the case studies into fully developed business cases.

_

⁵⁵ Participants are listed in Appendix 1.

2. RESULTS AND OUTPUTS

During two roadmapping workshops which AB-SIG organised in Nov 2012, several market sectors were highlighted by the participants as particularly relevant for the UK in commercial terms (see Figure 2). The most highly ranked examples will be presented and analysed in turn in the following sections.

2.1 Biorefining: Integration with existing infrastructure and value chains (1-15 yrs)

Why is this important?

Algal biomass, be it macro or micro, is currently expensive, and produced in small quantities, servicing mainly high value markets. In order to reduce production costs, it is imperative that

- inputs are wherever possible derived from waste streams
- · energy use and capital expenditure are minimised
- no waste is produced during growth and processing, *i.e.*, nutrients are recycled, and every part of the biomass is developed into a saleable product.

This concept is at the heart of integrated biorefining, and provides the lens through which all following business cases need to be viewed. This section will provide an overview and make reference to case studies in following sections.

Wider advantages that adoption of integrated algal biorefining are likely to offer include

- more control over the supply chain (and its ecological impact, as the biomass would be grown, harvested and processed in the UK)
- provision of employment across a section of skill levels, training opportunities for technical staff
- the opportunity to provide ecosystem services.

How can it be achieved?

As far as **growth and harvesting** are concerned, the opportunities for integration vary considerably between macro- and microalgae (*c.f.* Figure 5).

For **macroalgae**, where prospects for larger-scale cultivation are positive due to the UK's extensive coastline⁵⁶, inputs from waste streams could stem from integration with fish farming, leading to elevated nutrient levels and hence enhanced growth, while at the same time providing valuable ecosystem services (this is elaborated in Case Study 3 of Section 2.2). Reduced capital expenditure could be achieved in the long term by co-developing algal farms with off-shore wind farms⁵⁷, providing this can be achieved safely without impinging on maintenance access for the farm.

21 | Page

However, restrictions on algal growth arise from multiple uses of sea space for recreation, shipping, fishing etc. In addition, the ecological impacts of growth at sea will need to be carefully monitored throughout staged scale-up. Oil rigs are sometimes also mentioned, however most oil rigs are in much deeper water than would ever be likely to be contemplated for farming macro-algae. Some wind turbines are in shallower water but developers have borrowed £bn to develop such windfarms and understandably are not prepared to add further risk factors. In 20 yrs time coexistence of nearshore windfarms and aquaculture facilities may have become routine. Currently developers do not have a lease from The Crown Estate to do anything other than develop a windfarm. (Pers. comm., Prof Michael Cowling, May 2013)

For **microalgae**, the geographical and socio-economic situation of the UK does not lend itself to large-scale land-based production. This means that there is a limitation to the savings that can be achieved through economy of scale⁵⁸, and it is even more important to achieve savings in other ways. Key opportunities exist if medium-sized facilities can be integrated with other industrial processes, which can

- provide inputs (such as CO₂, nutrients, water, sugar for heterotrophic growth, low-grade heat, cheap electricity/lighting),
- directly use some of the products (e.g., fresh algae as live feed in aquaculture), and/or
- where infrastructure can be shared (provision of utilities such as electricity, gas, water, sewage, steam, DI water).

In many cases this integration can also provide benefits for environmental sustainability: CO_2 from flue gasses can be used instead of bottled CO_2 , and although this does not provide permanent carbon storage for emitted CO_2 , it does diminish the carbon footprint of algal growth compared to having to purify, compress and transport bottled CO_2 . It can also lead to sequestration of NO_x from flue gasses. Examples of coupling algal growth to water remediation are given in Section 2.2.

Although the general technologies will be applicable in most settings, there is an opportunity to tailor each setting to provide customised solutions to specific issues facing a range of industries, therefore enhancing or restoring local ecosystem services.




Figure 5: Indicative biorefining timeframes for macro- and microalgae

Once harvested, requirements for **processing** macro- and microalgal biomass are more similar, and within each group will be heavily dictated by the properties of the chosen strain and the desired suite of end products. The production volumes and costs in the short term will require a focus on low volume, high value markets as the main financial driver; examples are given in Section 2.3. The residual biomass after

⁵⁸ These savings are smaller than in fermentation-based technologies, as scale-up for autotrophic growth has to occur on area rather than volume.

⁵⁹ SO_x have to be removed from flue gasses prior to bubbling through algal cultures, as they would acidify the medium and harm the algae.

extraction of the main target compound will need to be put to best use; this will be heavily dependent on the process and the strain. Care will have to be taken to develop appropriate HACCP⁶⁰ procedures if one of the end products is to enter the food chain; this will not be compatible with all inputs or processing protocols.

Once production capacity has increased to a level that is relevant for value-added or commodity products, a more general approach can be taken, in which the biomass is either thermochemically converted into syngas, bio-oil and/or biochar⁶¹, or fractionated into its key components (proteins, lipids, carbohydrates, metabolites and nucleic acids). A schematic overview is shown in Figure 6.

Thermochemical processes have the great advantage that they are largely insensitive to the nature of the feedstock; they hence provide a 'one size fits all' solution across the vast spectrum of algal strains with their differing physical and biochemical properties. This is achieved by applying a thermal 'sledge hammer' to the biomass, thereby destroying the complexity (and some of the intrinsic value) of the molecules. The three key thermochemical processes gasification, pyrolysis and hydrothermal liquefaction (HTL) differ in their reaction conditions and the relative abundance of gaseous, liquid and solid products. The products are less complex chemicals that can be used as building blocks for desired molecules (*e.g.*, syngas to fuel via Fischer Tropsch), as a saleable product (*e.g.*, biochar for horticulture) or directly for energy generation (*e.g.*, bio-oil). As a water-based process HTL is well suited for algal feedstocks, since no energy penalty for drying the biomass is incurred; nutrients can also be easily recovered. In addition, R&D on HTL catalysts could lead to production of sought-after hydrocarbons with specific chain lengths or branches.

In principle integration with existing thermochemical plants is possible; process optimisation will be required especially if algal feedstocks are to be mixed with other forms of biomass. Even if a separate thermochemical conversion step should be deemed necessary, the products from algae and other feedstocks could be combined and processed further using the same infrastructure, hence reducing capital expenditure. Given adequate R&D support, this path could move towards deployment within the next five to ten years.

If **fractionation** is used, the intrinsic value of the complex biological molecules can be preserved. Technologies will have to be developed that work at scale, are economical and allow for the degree of functional integrity and purity needed for each end product. For economic viability it is of vital importance to match the value and market size of each co-product, so as to avoid flooding the market for a speciality product and thereby devaluing it, as was the case with glycerol from biodiesel. Given appropriate R&D support, this path could move towards deployment within the next ten years.

It is paramount that **life cycle and sustainability analyses** are embedded in any development and deployment, to ensure that any new algal technology provides an overall improvement, or is at the very least not less sustainable than established processes that lead to the same products. As in all areas, research and commercialisation have to go hand in hand to achieve maximal impact.


To capitalise on the opportunities posed by integrated biorefining, it is essential to provide feasibility studies and test, pilot and demonstration facilities. CPI's facilities at Wilton are highly valuable, and should be made use of as much as possible for downstream processing. Integration with existing infrastructure upstream of growth, however, cannot be done centrally, and therefore a number of test facilities piloting integration with various input-providing industries have to be established across the UK, with immediate effect, in order to stay competitive on the international scene. Examples will be given in the following sections.

23 | Page

⁶⁰ Hazard Analysis Critical Control Point: principles used by the retail food industry to prevent, eliminate or reduce food safety hazards

⁶¹ The proportion of each depends on the reaction conditions; a schematic overview is given in Figure 13 / Section 2.6. ⁶² Biller P, Ross AB, Skill AC, Lea-Langton A, Balasundaram B, Hall C, Rilley R, Llewellyn CA (2012) *Nutrient recycling of aqueous phase for microalgae cultivation from the hydrothermal liquefaction process*. Algal Research 1(1):70-76

Figure 6: Schematic of integrated biorefining options for algal biomass




Intensive agri- and aquaculture as well as high population density are putting increasing pressure on our water infrastructure and marine as well as freshwater eco systems. Elevated nutrient levels lead to eutrophication, while de novo synthesis of fertilisers has a high price and carbon footprint, with phosphate being a globally limited resource. UK regulations to implement the Water Framework Directive⁶³ and the Nitrate Directive⁶⁴ provide strong drivers for preserving and maintaining water quality.

The value of algae as a means to clean waste waters has already been highlighted in the AB-SIG SRA⁶⁵. Opportunities exist not only to prevent eutrophication, and avoid the expense of mitigation, but to derive value from the biomass grown on the waste stream. In addition, bioremediation provides positive publicity which has a high PR value.

Here we present three different case studies for business opportunities arising from the use of micro- or macroalgae for bioremediation of waste water streams: Denitrification of brine wash generated from groundwater purification, nutrient recovery from sewage treatment, and remediation of fish farm waste in Integrated Multi-Trophic Aquaculture (IMTA) systems. In addition, other bioremediation options are already on the market⁶⁶ which specifically target problematic waste streams such as heavy metals, toxic organic compounds and other industrial wastes. Here we focus on cases where the biomass grown on the waste streams can be used for saleable products in a variety of markets, depending on the purity of the inputs. Estimated timescales for deployment and widespread uptake are given in Figure 7.

Figure 7: Indicative commercialisation timescales for bioremediation case studies



25 | Page

_

⁶³ Directive 2000/60/EC of the European Parliament and of the Council establishing a framework for the Community action in the field of water policy, <u>eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=CELEX:32000L0060:EN:NOT</u>

⁶⁴ Council Directive 91/676/EEC concerning the protection of waters against pollution caused by nitrates from agricultural sources, <u>eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=CELEX:31991L0676:EN:NOT</u>
⁶⁵ p. 13, available at

connect.innovateuk.org/c/document_library/get_file?p_l_id=2244614&folderId=7863898&name=DLFE-81879.pdf

66 e.g., algalturfscrubber.com/; microalgal biofilms for waste water remediation have also been included in the AB-SIG SRA in Pathway D

Case Study 1: Microalgae for denitrification of brine wash generated from purification of groundwater⁶⁷

Why will this be an important market?

- Increasing nitrate levels in groundwater due to agricultural activity mean that drinking water abstracted from this source must be treated prior to going into supply to meet EU regulations.
- At present, nitrate extracted from ground water is concentrated when ion exchange columns
 are regenerated using a brine wash. This saline nitrate solution cannot be spread onto fields
 and is currently disposed of into sewage, resulting in a wasteful cycle of energy-intensive
 nitrate production and then re-reduction to nitrogen in the sewage works.
- Discharge consents require dilution of the brine wash before introduction into the sewage works. This is associated with operational costs, which can be mitigated through algaebased nitrate remediation.
- The operational costs of sewage disposal range from £50,000-£250,000 per year per site⁶⁸, plus possible additional capital costs depending on whether the brine wash is tankered offsite or a pipeline is built to the STW.

How will the algal technology be commercialised?

- Marine microalgae are normally grown on freshwater augmented with salts, or else purified seawater, which represents a cost factor. This, and the cost of nitrate fertiliser, could be saved if the nitrate-rich brine wash was used in the growth medium.
- Unlike most other waste streams, this groundwater-derived brine wash is compatible with the end use of the biomass in the food chain.
- New infrastructure for denitrification will need to be built in the next decade; this offers the opportunity to integrate algal growth facilities seamlessly.

Steps include:

- Initially, collaboration between the water industry, algal growth experts and PBR technology providers will be necessary to provide proof of concept: R&D in test facilities will be necessary to
 - test strain performance and optimise growth conditions using a brine-derived medium
 - collect data for LCA and economic assessments, to demonstrate the cost benefits over conventional technology.
- Based on which algal strains can be grown at what yields, target markets (such as high
 value feed ingredients) will need to be identified, a detailed business case needs to be
 developed (taking into account space requirements for scale-up co-located with
 denitrification, and the need for cheap CO₂ provision), and partnerships with end users will
 need to be formed.
- For pilot operation and further scale-up, the water industry would best form a partnership
 with the provider of denitrification infrastructure and an algal growth company, in which the
 water industry provides the waste stream as a feedstock, the infrastructure provider ensures
 smooth integration with the denitrification process, and the growth, harvesting and
 marketing of algal biomass are dealt with by the algal company.
- After successful demonstration at scale, a turn-key solution can be developed by a joint venture between the denitrification infrastructure provider and an algal growth company. This can be marketed to suppliers of drinking water in the UK (and abroad, taking into consideration adaptation needed to accommodate the effect of different climatic and environmental parameters on algal growth; this will require another demonstration phase).

Timescale to commercialisation

• 2-5 yrs with existing technologies to demonstration phase; 5-10 years for turn-key solution

Advantages of Algal Biotechnology over incumbent approaches

- No alternative for resource recovery currently in operation
- Relative ease of integration with existing infrastructure
- Potential to use biomass as saleable high-value product (as waste stream is clean)
- Sustainable: green approach, lowered carbon footprint, higher energy efficiency (to be proved by sustainability analysis based on data from test/pilot site)

26 | Page

⁶⁷ Initial trials of this process are carried out in a collaboration between Cambridge Water, the InCrops Enterprise Hub and the University of Cambridge, co-funded by the INTERREG NW Europe Strategic Initiative EnAlgae.
⁶⁸ Pers. comm.., confidential industry source, 2012

Market size	• In the UK, the nitrate removal technology that produces the brine is already in use by regional water companies in at least 13 sites. The combined output of these is over 67 million litres per day. The number of these plants will increase in line with published rising national trends of nitrate in groundwater ⁶⁹ .		
Growth rate	 More denitrification plants are planned for the UK to enable drinking water to meet EU regulation on nitrate levels. 		
UK companies operating in this market sector	 Cambridge Water – pilot test facility in conjunction with INTERREG NW Europe Strategic Initiative EnAlgae Other water companies with denitrification plants, who could adopt the technology, include Anglian Water and Thames Water. 		
UK Ecosystems potential to commercialise	 High: Breaks wasteful cycle currently in operation (turning nitrate back into nitrogen at sewage works under energy expenditure) Turns an environmental problem into an opportunity Provides a solution to problem at point of origin Environmental risk from algal species is low, as they will be marine species grown in closed systems on land 		
	Technological	Commercial	Other
Barriers	 Turn-key integration with infrastructure of water industry has to be developed 	 Requirement for land, and proximity of CO₂ source Need for training & skills in industry Cost of scaling up Risk averseness and inertia of water industry - hesitant to invest in test facilities 	 Low insolation during winter requires artificial lighting for continued processing of waste stream
Risks	 Productivity on brine- derived medium is low for most desirable strains (low) 	CapEx and OpEx may dictate a price that will only service speciality product markets; scale-up without lowered costs could then flood the market (medium)	 LCA might show that overall the process is not greener than current practice (low) If intensive fertilising were to stop, the need for denitrification of ground water would decrease, leading to under-used capacity (very low)
Fit with UK capability	 Good existing R&D base (biology & engineering) 	Large market potentialExport of technology possibleIndustry interest	 Research funding priorities fit (e.g., RCUK)
Gaps in UK capability	 Urgent need for scale-up facilities (test / pilot / demonstration plants) Data availability 	Translation of existing research into market place	 Lack of agenda / strategy Needs change of mindset in industry from treatment as waste to resource recovery / revenue generation
Key innovation and R&D needs	 Strain cultivation at scale Low cost harvesting Process integration and re Data for models – econom Need for demonstration Establishing HACCP process 	ic/technological/environmental/ecol	ogical/LCA

⁶⁹ Stuart, M.E.; Chilton, P.J.; Kinniburgh, D.G.; Cooper, D.M. (2007) Screening for long-term trends in groundwater nitrate monitoring data. *Quarterly Journal of Engineering Geology and Hydrogeology*, 40 (4). 361-376. Doi:10.1144/1470-9236/07-040

	Requirement for technology partnerships	Support needs	Other
Enablers for successful UK commercialisation	 Collaboration between industry, technology providers and academia People: skill transfer to end users 	 Funding: public sector 'push' TSB grant for globally recognised pilot and demonstration facilities (£5 - 10 Million) 	 Academic skills & existing algae industry Economics and LCA / sustainability models
Key actions required to develop UK competitive advantage in the global commercial landscape	 Build (and fund) pilot plants, assess performance, refine through R&D Proceed to demonstration stage Develop turn-key solution for global market 		

Case Study 2: Nutrient recovery from sewage treatment through High Rate Algal Ponds (HRAP) or microalgal biofilms⁷⁰

Both High Rate Algal Ponds (HRAP) and biofilms are a means of growing algae on municipal wastewater. They allow retrieval of nutrients such as nitrate and phosphate which are currently not recovered from sewage treatment works (STW). This increases resource efficiency, and turns an environmental problem (eutrophication potential of water leaving the facility) into an opportunity for lowering the cost of inputs into algal biomass production. Unlike the example given in Case Study 1, biomass generated this way would not be appropriate for the food chain, but would be ideally suited to feed into biorefining via thermochemical conversion or fractionation to produce chemical feedstocks or energy products. As a first step, the latter could also be achieved by feeding the biomass into AD, which tend to be associated with sewage works, thereby making optimal use of existing infrastructure. It could be one way of generating commodities such as bulk chemicals, biofuel or bioplastic from algae that cannot enter the food chain.

Two ways exist in which a HRAP step can be incorporated into STW: through Advanced Integrated Wastewater Pond Systems⁷¹ (which entirely replace traditional STW), or as a final polishing step after conventional activated sludge systems. The first scenario is best suited in cases where new treatment plants have to be built, to avoid the capital expenditure of adaptation of existing infrastructure. Although these facilities are larger than conventional plants, they have lower construction and operational costs. They have been successfully demonstrated in the US and in developing countries⁷². The second scenario would be appropriate to add to existing STW, but will require considerable land area as volumes of tertiary wastewater are large; this constitutes a barrier for the UK.

Pilot and demonstration facilities are necessary to prove the reliability of the technique in a given climatic region, to predict the area required for scale up, and to test if there are adverse side effects such as odours. One example of an existing demonstration project is the NIWA plant in Christchurch, New Zealand. It operates a 5 hectare facility with High Rate Algal Ponds and extraction of algal lipids using supercritical water⁷³. Depending on uptake by the water industry, this technology could be within 2-5 yrs of commercialisation. According to DEFRA in 2012, the UK has approximately 9000 sewage treatment works. Converting a percentage of these to a HRAP system would be a first step to generating bulk volumes of biomass for non-food applications.

⁷⁰ Information is also provided in Appendix 2 in the same tabulated format as in the previous case study, to allow a direct comparison.

⁷¹ Eq. ibcinc-enviro.com/main/page_aiwps.html

⁷² United States Environment Protection Agency (2011). Principles of Design and Operations of Wastewater Treatment Pond Systems for Plant Operators, Engineers, and Managers. EPA/600/R-11/088

⁷³ NIWA website - niwa.co.nz/sites/default/files/algaeoilproduction_-_hrap.pdf

An alternative to pond-based algal growth that is already commercialised in the US (e.g., by The Algal Turf Scrubber®⁷⁴) is based on biofilms; there is also interest in the UK in trialling this type of technology. Again it could be used for polishing, or to replace the activated sludge systems.

For the UK to adopt these technologies, lessons should be learned from HRAP and biofilm projects in similar climates, and pilot and demonstration facilities need to be constructed to test performance, ecosystem compatibility (which should be high if native strains are used), and public acceptance. Collaborations between academia and industry need to continue and intensify to develop the concept further within the biorefinery model.

Case Study 3: Macroalgae for the remediation of fish farm waste: Integrated Multi-Trophic Aquaculture (IMTA)⁷⁵

Farmed species such as salmon, trout and halibut account for around 47% of all fish directly consumed by humans worldwide. In the UK, finfish aquaculture is typically conducted near shore, creating nitrate-rich waste that disperses in the local coastal environment. As aquaculture production in the UK continues to expand (it has risen from 152,000 tonnes live weight to 201,000 tonnes between 2001 and 2010, representing an average annual growth of 3.5%), the potential for ecosystem damage increases. Finfish producers seeking to acquire new licences will need to demonstrate that they are taking steps to mitigate ecological effects, and one means of doing so is to install macroalgae longlines adjacent to aquaculture sites. This system is known as Integrated Multi-Trophic Aquaculture (IMTA).

At present, the Loch Duart salmon company in Scotland uses this system and commercial operations also exist in Canada, Chile and Portugal. Wider uptake could be achieved within 2-5 years, if economic viability can be demonstrated. Multi-trophic aquaculture is being investigated for the potential to retrieve nutrients currently lost (and acting as pollutants) via projects such as the EU FP7 programme IDREEM (Increasing Industrial Resource Efficiency in European Mariculture). The ecosystem service benefits can be quantified and computer modelling applied to predict how much nitrate/phosphate can be sequestered.

The potential to use algal biomass produced by IMTA as saleable product for feed or other applications increases the sustainability of the operation and the potential to generate revenue. In the case of carbon and nitrogen credits the markets are forcibly created as a result of regulation and become more attractive under a cap-and-trade scheme. A nitrogen/nutrient credit market currently only exists in the US (namely Connecticut). However it is unknown whether fish farms are already able to sell credits into a market.

As a coastal nation, aquaculture is of importance to the UK, and IMTA could minimise changes in the benthic environment due to waste build up from aquaculture, and mitigate effects on ecosystems. Building on aquaculture expertise in the UK, and creating pilot facilities to test and model the economic and ecological impacts of this approach would enable reliable data to be generated. Ensuring biosecurity is paramount – operating an integrated system could provide reservoirs or vectors for disease in fish – so this must be verified. Bioaccumulation of any toxins by macroalgae must also be tested for.

Working with marine licensing authorities to raise awareness of the potential benefits of an IMTA system is important as this could be a key driver for wider adoption.


Globally, tank-based recirculation systems are also used for remediation of fish waste from land-based aquaculture; this is of less interest to the UK, but UK expertise could flow into international projects for such systems (*c.f.* also Section 2.7 / Case Study 14).

⁷⁴ algalturfscrubber.com/point.htm

⁷⁵ Information is also provided in Appendix 2 in the same tabulated format as in Case Study 1, to allow a direct comparison.

As has been highlighted in the introduction, the highest potential for commercialisation of algae in the UK in the near term lies with high value / low volume products, where the UK's industrial biotech expertise can come to the fore. Indeed, globally an algal industry exists that markets algae for their content of bioactives; *Spirulina* and *Chlorella* are being grown *e.g.*, in the US, China and Germany, and are sold as whole cells in nutraceutical products⁷⁶. Pigments with anti-oxidative effects such as the carotenoids beta-carotene and astaxanthin⁷⁷ are produced *e.g.*, in Australia, Israel and New Zealand, with applications in nutrition and for vibrant colouration in high value fish. Blue Smarties are back on sale thanks to a *Spirulina* extract, and the cyanobacterial pigment allo-phycocyanin commands a staggering price of up to €50/mg for use as an ultra sensitive fluorescent tracer in protein labelling. Increasing interest also exists to exploit the astounding diversity of algae for the discovery of new pharmaceuticals through bioprospecting, and for establishing especially microalgae, including cyanobacteria, as expression platforms for complex biomolecules. To showcase some of this immense potential which the UK is well placed to exploit, we provide one case study each for nutraceuticals (Omega 3/6 fatty acids DHA and EPA), cosmeceuticals (seaweed extracts in cosmetics), and pharmaceuticals (terpenoids expressed in microalgae). Estimated timescales for commercialisation are given in Figure 8.

Figure 8: Indicative commercialisation timescales for bioactives case studies



⁷⁶ As tablets *e.g.*, from Rainforest Foods (<u>rainforestfoods.co.uk</u>), Pink Sun Organics (<u>pinksun.co.uk</u>), Nature Complete (<u>naturecomplete.com</u>), as powder *e.g.*, from Buy Wholefoods Online Ltd (<u>buywholefoodsonline.co.uk</u>), Bobby's Health Shop (<u>bobbyshealthyshop.co.uk</u>), Lifestream (<u>lifestream.co.nz</u>), Synergy Natural (<u>synergynatural.com</u>)

⁷⁷ Others comm.30noids examples include lutein, canthaxanthin and fucoxanthin; for market sizes and prices see

Others comm.30noids examples include lutein, canthaxanthin and fucoxanthin; for market sizes and prices see Chapter 3 of BBSRC Algal Scoping Study, available at: www.bbsrc.ac.uk/web/FILES/Reviews/algal scoping study report.pdf

Case Study 4: Microalgae-derived nutraceuticals: Omega 3 PUFAs DHA and EPA

Why will this be an important market?	 Demand for Omega 3 supplements is increasing (rising middle class spending power for nutrition in BRIC and globally). Questions over long term supply of fish oil and the sustainability of this source Certain species of algae are able to make EPA, which is sought-after as a dietary supplement. Highly purified versions of EPA and DHA are used in pharmaceuticals. Increasing introduction of green labelling (LCA will need to demonstrate this is a 'greener' option than fish oil.)
Have will the algel	
How will the algal technology be commercialised?	 DHA: Heterotrophic growth for DHA production is already established in the UK. Expansion through working with existing nutraceutical suppliers who currently rely on fish oil; demonstrate added value compared to fish oil Strong international competition through Martek: UK industry will have to demonstrate added value of product or partnership. EPA:
	 Yields need to be increased through R&D, potentially making of use of metabolic engineering, to become competitive in terms of price and production capacity. Through algal start-ups as well as existing biotech companies, exploring photo- and heterotrophic growth options.
Timescale to commercialisation	Heterotrophic DHA is already commercial; 4-10 yrs for EPA
Advantages of Algal Biotechnology over incumbent approaches	 longer term sustainability, vegan source EPA can only be provided by fish or algal oil, it is not made in higher plants whereas there are a number of sources of DHA fish oil has problems of heavy metal contamination
Market size	 In 2009, algae oil was priced at \$80 to \$175/kg in the United States⁷⁸. However, the market has witnessed a significant drop in price due to new entrants flooding the market in the US following the approval of Martek's algal DHA product to be used in infant formula. The price of 30% (EPA+DHA) fish oil is \$7.43/kg, with this price rising to \$149.45 for 85-95% concentrates. Algae oils are still considered a premium product and command \$87.85/kg.⁷⁹ The global revenues for marine and algae omega-3 ingredients markets were valued at \$1,447.5 million in 2009, the European market revenues at \$473.2 million.
Growth rate	 Predicted compound annual growth rate from 2009 to 2015: Global market: 12.0% European market: 9.0% There is growing demand in the pharmaceutical sector for Omega 3 concentrates, for drugs such as Omacor/Lovaza and over-the-counter products such as E-EPA 90/Vegepa E-EPA 70/Omegaflex which are currently made from purified and concentrated fish oil.
Companies operating in this market sector	 Algae-based: Martek (DSM), New Horizons Global (UK-based), Fermentalg, Qualitas Health (EPA) Fishoil-based: BASF, Croda, Igennus (EPA)
UK Ecosystems potential to commercialise	 For phototrophic growth (EPA) especially if coupled to bioremediation (under HACCP): excellent For heterotrophic growth: neutral / equal to other fermentations

31 | Page

⁷⁸ Frost and Sullivan (June 2011), Global Analysis of the Marine and Algae Omega-3 Ingredients Market (reference does not specify the source strain or composition of the algae oil)
⁷⁹ ibid

	Technological	Commercial	Other
Barriers	 Strains with high yields of EPA still have to be developed. 	 Cost of getting regulatory approval 	 HACCP / GMP regulations
Risks	 High EPA yields might only be achievable using GM, making the product less desirable for some markets (medium) 	Oversupply of product would drive price down (medium)Lack of investors (high)	 Public perception (medium for GM) IP race / IP competition (high)
Fit with UK capability	 Good existing R&D base (metabolic engineering, synthetic biology, strain improvement, heterotrophic growth) 	 Commercial capabilities for DHA production already exist. Strong commercial interest in EPA (producers and end users) 	 Fit with research funding priorities (synthetic biology, industrial biotech)
Gaps in UK capability	 Pilot / demonstration plants for phototrophic growth Training in downstream processing 	Further scale-up for heterotrophic growth	 Risk averseness in funding landscape
Key innovation and R&D needs	 Open access pilot plant / scale-up Genetic stability in target strains Model organisms Yield improvements Development of low cost effective techniques for cultivation, harvesting, extraction and downstream processing Improvements in basic biology and biotechnology knowledge Data for models – economic/technological/environmental/ecological/LCA 		
	Requirement for technology partnerships	Support needs	Other
Enablers for successful UK commercialisation	 Mechanism to transfer technology from universities Reducing barriers to releasing technologies to SMEs Cross collaboration - domestic / international Need for more 'united' research efforts across UK universities 	 Funding: Non equity, for international collaborative activities, government investment Smaller contribution requirement for UK Plc for UK grants IP assistance Commercial interest in the UK for algal biotech from SMEs, VCs Training programs in downstream processing 	 GMO legislation - PR campaign on GM and algae Mechanism to grow small into medium sized companies More algal technology companies Simplification of patenting process
Key actions required to develop UK competitive advantage relative to the global commercial landscape	Provide non-equity funding		

Case Study 5: Macro- and microalgae-derived cosmetics⁸⁰

Spending on natural personal care and cosmetic products is growing steadily globally, and especially in BRIC countries. Natural and organic products have a 2% share of global personal care product sales. In some countries – such as the USA, Germany and Austria – the market share is reaching 10%⁸¹, and for the UK market revenues have been increasing by about 6% per annum since 2008, despite the financial crisis. Global revenues in the personal care market are predicted to climb to USD 14 billion in 2015, and many UK brands look to export to markets where growth is faster. Rising average life expectancy leads to increased popularity of anti-ageing products and exotic natural ingredients have strong marketing power and can command a premium price. Research is being conducted into novel functional ingredients from macro- and microalgal sources: Compounds such as mycospoine-like amino acids, terpenes and carotenoids, tocopherols and pyrenoine (an extract from the macroalga *Fucus*) are all under investigation as photoprotective ingredients.

There are three main routes for algal products to enter the cosmetics market (*c.f.* Figure 9): as raw materials; as bulk extracts for formulation; and as specialised functional ingredients. Each of these is associated with a different size of industry. Small businesses with innovative products based on raw materials (*e.g.*, seaweed soaps from Rest and be Thankful or Irish Seaweeds) may provide local employment and there could be potential for acquisition by larger entities if the product is promising. Cosmetic ingredient suppliers are increasingly interested in non-petrochemical derived surfactants so products can be labelled as "natural"; bulk extracts are an attractive source. On the specialist, high value end of the scale, large multinationals invest heavily into R&D and patent protection of functional extracts from seaweed and microalgae. A search of the US Patent Collection database in Feb 2013 for "cosmetics AND (algae OR seaweed)" yielded 1834 patents. Companies operating in this market include Boots, L'Oreal, Nivea, Body Shop (products containing seaweed are best sellers according to their website), Garnier, Clarins and Estee Lauder; UK companies include Seaweed Organics, The Scottish Fine Soap Company, Rest and be Thankful and the Highland Soap Company.

Sustainable harvesting and price competitiveness against Asian imports are two important challenges for a UK-based algal cosmetic industry. Collaborations between academic institutions and commercial enterprises (such as Boots and PML for the production of microalgae with a view to bioprospecting novel photo-protective compounds) are key to enabling the UK to capitalise on the high value end of the market. Linking with bioremediation (denitrification / IMTA, see Section 2.2) may be one means of sustainably generating raw material.




Figure 9: Process opportunities for inclusion of algal biomass in cosmetics

⁸⁰ Information is also provided in Appendix 2 in the same tabulated format as in Case Study 1, to allow a direct comparison.

⁸¹ Organic Monitor (December 2011). Global Market for Natural & Organic Personal Care Products (3rd edition), Organic Monitor #1003-60.

Case Study 6: Microalgae as an expression platform for pharmaceutical terpenoids

Why will this be an important market?

Cost of production of existing pharmaceuticals:

- Plant-derived terpenoid compounds have been an important source of drug scaffolds, or represent direct pharmaceutically active compounds (such as the anti-cancer drugs paclitaxel and ingenol-3-angelate, forskolin for treatment of heart failure and glaucoma, or the antimalaria drug artemisinin).
- Due to the structural and stereochemical complexity, chemical synthesis is technically
 possible, but economically not feasible. Paclitaxel, for example, requires >25 steps with a
 yield of 0.02%. As a result, most are extracted from the native plant species in minute
 quantities.
- Algal biotechnology could produce these compounds at much increased levels, making production cheaper.

Novel active compounds:

- In addition, terpenoid biosynthesis pathways are interesting candidates for bioprospecting.
- The marine environment has been a fruitful source of novel terpenes⁸².
- Due to the patent cliff the pharma industry is looking to diversify; novel terpenes with new functionalities could be produced by / in algae.

General advantages:

- Meets health drivers (ageing population; increasing concern about dementia; healthcare costs)
- Aligned with: a. drive for knowledge-based biotech economy b. CSR drive for sustainability
- Developing terpene scaffolds in algae for pharma will develop latent ability to make other valuable terpenoid compounds for broader application (analogous to Amyris, where development of increased efficiency/reduced cost of isoprenoid production for pharma in yeast has paved the way for economically viable production of other isoprenoid family members *e.g.*, for flavour fragrance compounds and fuels).

How will the algal technology be commercialised?

- Using metabolic engineering and synthetic biology toolkits, expression pathways for terpenoids can be introduced into microalgal strains (proof of concept exists for cyanobacteria⁸³).
- Yields and cultivation regimes need to be optimised through R&D, to become competitive in terms of price and production capacity.
- Through spin-outs from academia; collaboration between spin-outs and pharmaceutical companies for scale up (R&D for innovation outsourced by pharma)
- A clear regulatory route will be essential.
- In addition, algal culture collections and new strains discovered through bioprospecting should be screened for novel terpenes to develop further product pipelines.

Timescale to commercialisation

• 5-15 years to determine commercialisation potential

Advantages of Algal Biotechnology over incumbent approaches

- Diverse range of species for bioprospecting: Potentially enormous, but largely untapped pool of novel bioactives
- Algae are a versatile chassis for expression.
- Some species are already registered as GRAS.
- Algae are perceived to be naturally 'green' (LCA of production process required to prove green credentials).
- Algal expression is expected to be more cost effective than extracting compounds from trees, roots, corals, sponges *etc*.
- Some drugs must be made via semi-synthetic routes, and the starting material is costly, e.g., Ingenol-3-angelate which is derived from a compound found in the latex of Euphorbia species, costs €605 per 10 mg dose.
- · Possibility for higher titres and more controlled manufacturing
- Microalgae naturally produce the GDPP (geranylgeranyl-diphosphate) precursor for diterpenoid synthesis in large amounts.

⁸² Wang G, Tang W and Bidigare RR (2005) *Terpenoids As Therapeutic Drugs and Pharmaceutical Agents* in *Natural Products: Drug Discovery and Therapeutic Medicine* pp 197-225. eISBN: 1-59259-920-6

⁸³ Pers. comm., Bjoern Robert Hamberger / Poul Eric Jensen (unpublished data; May 2013); Lindberg *et al.*, (2010) Engineering a platform for photosynthetic isoprene production in cyanobacteria, using Synechocystis as the model organism. Metab Eng.12(1):70-9 doi: 10.1016/j.ymben.2009.10.001.; Reinsvold *et al.*, The production of the sesquiterpene β-caryophyllene in a transgenic strain of the cyanobacterium Synechocystis. (2011) J Plant Physiol. 168(8):848-52. doi: 10.1016/j.jplph.2010.11.006

Market size	 The global market for terpenoids is >€8 billion per year, comprising three segments: fragrances/food ingredients, fine chemicals and therapeutics⁸⁴. 		
Growth rate	 The market for terpene-based healthcare products globally is set to rise, with an increase in global population, in average life expectancy, and increasing spending power esp in BRIC countries. An indication of the growing interest in alternative sources for plant metabolites is given by the recent \$13.5 million investment of BASF into Allylix (US), who produce essential oils using industrial biotechnology rather than extraction from plant materials. 		
UK companies operating in this market sector	Pharma Nord UK, Norkem		
UK Ecosystems potential to commercialise	 As this application requires the use of metabolically engineered microalgae, and as pharma applications are tightly regulated, cultivation will need to occur in indoor closed PBR systems, without coupling to bioremediation, and most likely with artificial illumination. The application would not be offering any ecosystem service, but (provided containment is not compromised) would not be of disadvantage to ecosystems. As a fail-safe the expression strain would need to be engineered so as to not survive in the wild. High yield expression in algae would displace extraction from plant or marine materials with low natural terpene levels. This can lead to better resource efficiency of solvents, and ecological benefits if the material has to be wild harvested from ecologically sensitive locations (e.g., coral reefs) and transported over long distances. 		
	Technological Commercial Other		
Barriers	 Expression of terpenoid biosynthesis pathways in microalgae is still at R&D stage. Containment strategies, validation and approval for new GM host strains of algae required which will make scale up costly. Competition from other sources, e.g., bacterial expression 85 		
Risks	 Microalgae growth at scale-up introduces growth/expression characteristics that differ from those observed in lab tests (medium). If there are poor titres of terpenoid at scale up it could mean that product is not competitive (medium). Public acceptance of GMO (low for pharma) (low for pharma) (medium) 		
Fit with UK capability	 Expertise in industrial biotechnology and downstream processing Expertise in industrial biotechnology; volume profile appropriate for production in the UK Research funding priorities fit: Industrial biotechnology; healthy ageing (funding opportunities for elucidating mechanisms of action) 		
Gaps in UK capability	 Proof of concept is being developed in Denmark (in collaboration with UK partners). 86 GM-compatible open access test facilities for phototrophic growth Supply chain landscape landscape Risk averseness in funding landscape 		
Key innovation and R&D needs	 Genetic stability in target strains Model organisms Yield improvements Improvements in basic biology and biotechnology knowledge Development of low cost effective techniques for cultivation, harvesting, extraction & downstream processing Open access pilot plant with GM facilities for scale-up Data for models – economic/technological/environmental/ecological/LCA Bioprospecting 		

Wang G, Tang W and Bidigare RR (2005) *Terpenoids As Therapeutic Drugs and Pharmaceutical Agents* in *Natural Products: Drug Discovery and Therapeutic Medicine* pp 197-225. eISBN: 1-59259-920-6

S Cane DE, Ikeda H (2012) *Exploration and mining of the bacterial terpenome* Acc Chem Res. Mar 20;45(3):463-72 doi: 10.1021/ar200198d

Pers. comm., Bjoern Robert Hamberger / Poul Eric Jensen / Colin Robinson (May 2013)

	Requirement for technology partnerships	Support needs	Other
Enablers for successful UK commercialisation	 Mechanism to transfer technology from universities Reducing barriers to releasing technologies to SMEs Cross collaboration - domestic / international Need for more 'united' research efforts across UK universities, with good links to expertise abroad 	 Funding: Non equity, for international collaborative activities, government investment Smaller contribution requirement for UK Plc for UK grants IP assistance Commercial interest in the UK for algal biotech from SMEs, VCs Training programs in downstream processing 	 GMO legislation - PR campaign on GM and algae Mechanism to grow small into medium sized companies More algal technology companies Simplification of patenting process
Key actions required to develop UK competitive advantage relative to the global commercial landscape	 Provide funding for further collaborative R&D into stable expression of terpenoids in algae Build strong partnerships between research community and pharma industry Support formation of spin-out companies Utilise existing UK industry expertise for commercialisation 		

2.4 Food and feed (1-10 yrs)

Food security is a tremendous global concern; with the population of our planet expected to rise to 9.1 billion by 2050, food production will need to increase by up to 70%87. At the same time agriculture is a major contributor to greenhouse gas emissions, both through the energy-intensive production of fertilisers, and through direct and indirect land use change leading to carbon emissions from the soil. Pressure on land and freshwater resources is rising.

Marine algae can and are being used as a source of food that is grown without needing arable land or freshwater. It is hence an ethical imperative to explore if the UK, with its large coastal area, can contribute to meeting the increasing demand for food, by producing algae in a sustainable manner for food and feed.


Established markets for algae-based foods exist: especially in Asian societies algae are a staple food; Sushi would be unthinkable without the seaweed wrapping Nori. Even in the UK traditional recipes such as Welsh Laver Bread use macroalgae (of the same genus as Nori, Porphyra). Macroalgae are generally rich in iron, zinc, iodine as well as vitamins A, B and C, and therefore are valuable contributors to a balanced diet. Indeed their mineral profile has led to their use as flavourings and salt replacements⁸⁸. As indicated in Section 2.3, microalgae such as Chlorella and Spirulina are being used as health supplements for their protein composition and content, and heterotrophically grown Chlorella is being developed by Solazyme Roquette Nutritionals as a source of oil, protein and gluten-free flour.

To showcase how algal technologies in the UK might contribute to sustainable food and feed supply, as well as economic growth, we present two case studies: macroalgae as premium sea vegetable, and microalgal biomass and protein for aquaculture and animal feed. Estimated timescales for commercialisation are given in Figure 10.

⁸⁷ Source: fao.org/news/story/en/item/35571/

⁸⁸ e.g., SeaSpice (seaveg.co.uk/salts.html); Artisan Seaweeds Sea-Spice® Collection (maraseaweed.com); Seagreens® salt replacements (seagreens.com/Products/FoodmanufacturingingredientsSaltreplacement2.aspx), kombu seaweed / umami (en.wikipedia.org/wiki/Umami)

Figure 10: Indicative commercialisation timescales for case studies on food and feed



Case Study 7: Macroalgae as premium sea vegetable and condiments⁸⁹

There is considerable potential for expansion of the use of macro- and microalgae for human consumption, both in unprocessed form and as a feedstock for food ingredients. Sourcing macroalgae for food from the coastal areas in a sustainable form, as it has been done traditionally in the UK for centuries, could displace a proportion of more carbon-intensive agri- and horticulture, diversify the food chain, and provide local employment. Despite the traditional use, seaweed is a relatively under-used culinary resource in the UK. However, growing awareness of diet – both in terms of health and traceability (fuelled further by the recent food scandals) – a growing vegetarian population, and a desire for speciality ingredients in the West mean that the market for algal-based foods and condiments is expanding. It has been highlighted that the UK has a growing problem of iodine deficiency⁹⁰ and the use of macroalgal replacements for salt may be one means of addressing this issue.

Premium macroalgal products can command high prices, such as £8.97 per 100g of a macroalgal condiment⁹¹ which is produced in Scotland. New enterprises could be formed in coastal communities to expand the range of products and suppliers. This would need to be accompanied by effective marketing, for example through partnerships with celebrity chefs, and in association with the research community to provide evidence of health benefits and sustainability credentials.

In addition, after the disaster at Fukoshima, the Asian market is looking for alternative producers to feed into their supply chain, in particular those with Soil Association organic certification. Although the species of highest interest to the Japanese market are not native to the UK, there is an opportunity to brand European seaweed products, such as dulse, as exotic high-value foods for the Asian market. ⁹²

Case Study 8: Algal biomass for animal feed⁹³

The global demand for protein-rich food is growing, as spending power in emerging economies increases. Meat consumption is suggested to rise from 233 million tonnes (2000) to 300 million tonnes (2020)⁹⁴, with a concomitant 23% increase in milk production and 30% increase in egg production. Sustainable animal feed, especially from vegetarian sources and for non-GM markets, is highly sought after. Both macro and microalgae can contribute to this in a significant way, an overview is given in Figure 11. The benefits of macroalgae in animal feed formulations have been highlighted at the AB-SIG conference 'Opportunities for

⁸⁹ Information is also provided in Appendix 2 in the same tabulated format as in Case Study 1, to allow a direct comparison.

comparison.

90 Vanderpump M Lazarus J Smyth P Burns R Eggo M Han, T et al. Assessment of the UK iodine status: a national survey. Endocrine Abstracts. Presented at the Society for Endocrinology BES 2011: 11 April 2011-14 April 2011

91 Source: Böd Ayre website (seaweedproducts.co.uk), Feb 2013

⁹² Pers. comm., Derek Przybycien, Clearspring Ltd. April 2013.

⁹³ Information is also provided in Appendix 2 in the same tabulated format as in Case Study 1, to allow a direct comparison.

⁹⁴ Source: fao.org/docrep/007/y5019e/y5019e05.htm

algal commercialisation' on 20 June 2012, they include: reduced infection and mortality rates, improved taste, better colouration and texture, higher weight gain, as well as reduced need for chemical pre-mixes, synthetic additives and antibiotics⁹⁵. AB Agri Ltd market a macroalgae feed for cows, Simple System Ltd include macroalgae in some horse feed formulations, and Ocean Harvest Technologies Ltd provide macroalgae feeds for pigs and pets as well as salmon and shrimp.

Microalgae are rich in protein and many strains possess a desirable amino acid profile⁹⁶. Indeed for the hatching stages of aquaculture they are an essential food, and are well suited to displace the highly unsustainable protein source fishmeal in aquaculture and across the food chain. This is an established industry, but due to the high current price of microalgal biomass its full potential is far from being realised. To broaden the use of algal protein and biomass beyond high value applications, and to respond to the increasing need, production capacity has to increase. Economy of scale, integrated biorefining for increased resource efficiency, and innovation through continued R&D will contribute to lowering the price. One example of an initiative which seeks to improve algal feedstocks for use in aquaculture is a collaboration between Eminate Ltd, Skretting, Liverpool University, Anglesey Aquaculture and the University of the Highlands and Islands. With funding from the TSB's sustainable protein call, this consortium investigates fermentation as a means of making proteins from a variety of plant sources, including algae, more bioavailable in animal feed.

Figure 11: Overview of algal product categories in animal feed




Table Case Study 8: Microalgal biomass and protein for aquaculture and animal feed

Why will this be an important market?	 Quest to find a sustainable source of protein to replace fishmeal Aquaculture production / consumption of aquaculture products is rising Algae can deliver added benefit: omega oils and desirable amino acid balance (strain dependent) There is appetite within the aquaculture industry to reduce the reliance on fishmeal
How will the algal technology be commercialised?	 Through integrated biorefining: initially using all biomass as speciality feed, as production capacity increases: fractionation, targeting protein fraction for feed Coupling with bioremediation as far as possible (while satisfying HACCP; <i>c.f.</i> Case Study 1) Partnerships between feed producers and pilot facilities throughout scale-up
Timescale to commercialisation	• 2-10 yrs

⁹⁵ Presentation slides with details available at

connect.innovateuk.org/c/document library/get file?p | id=2244614&folderId=8580598&name=DLFE-87643.pdf

⁹⁶ Becker EW. 2007. Microalgae as a source of protein. Biotechnology Advances 25: 207-210.

Advantages of Algal Biotechnology over incumbent approaches Market size	 Sustainable source (to be proved by LCA) Potential to reduce carbon footprint of feed Benefits of omega oil content Under the transmissible spongiform encephalopathies (England) regulations 2010, fishmeal can only be fed to non-ruminants (pigs and poultry), algal protein would not be subject to such restrictions and could offer a means of enriching the diet of other animals with omega 3/6 Globally: Fish farming: USD150 billion; shrimp farming: USD80 billion; pig farming: USD200 billion⁹⁷ In 2010 the UK consumed 135,400 tonnes of fishmeal, most of which it imports from Peru and Denmark⁹⁸. The aquaculture sector is the biggest user of fishmeal in the world, globally consuming 3.72 million tonnes in 2008⁹⁹. Non-aquaculture uses for fishmeal replacement (livestock in the UK¹⁰⁰): 4.5 million pigs; 		
Growth rate		duction has grown from 47.3 m	s; 9.9 million cattle and calves. illion tonnes to 63.6 million
Companies operating in this market sector	Skretting, EWOS, Ocean Ha	arvest, Biomar in aquaculture fo	eed market
UK Ecosystems potential to commercialise		mediation of suitably clean nutr n of ground water); for that, HA0	
	Technological	Commercial	Other
Barriers	 Handling of algal biomass needs to be made compatible with current feed machinery. Incorporation rates in animal feed need to be determined – might not be a direct replacement. 	 Cost and volume of biomass (currently too expensive to substitute for bulk feed, and insufficient production) Cost of raw materials / nutrients 	HACCP regulations (expensive to establish)
Risks	 If whole biomass with high DNA content is used: may cause gout (species- dependent) (medium) 	 Potential issues around stability of supply due to seasonality unless supplemented with light in winter (medium) 	Raw protein may have limited bioavailability (medium)
Fit with UK capability	 Knowledge base (CCAP) for strains screening Integration with existing aquaculture industry 	 Industry could develop and adapt existing good knowledge base 	 Recent/current initiatives: FPI, Energetic Algae, Biomara, IDREEM, FFINN (TSB sustainable protein call) UK leading on Global Ocean Commission – sustainable management of marine resources may encourage a move away from fishmeal
Gaps in UK capability	 Pilot / demonstration plants Availability of algal biomass for testing Cost effective cultivation and harvesting at scale 	 More R&D on choice of appropriate strains is needed to reduce investment risks 	Awareness of feed manufacturers of the full potential and spectrum of benefits algae offer

Ocean Farvest Technology;

connect.innovateuk.org/c/document_library/get_file?p_l_id=2244614&folderId=8580598&name=DLFE-87643.pdf

Seafish (October 2011) Fishmeal and fish oil figures,

FAO State of World Fisheries and Aquaculture Report 2012 available at

www.fao.org/docrep/016/i2727e/i2727e00.htm

100 Defra UK. (2012) Farming Statistics Final Crop Areas, Yields, Livestock Populations and Agricultural Workforce at 1 June 2012 101 FAO State of World Fisheries and Aquaculture Report 2012

Key innovation and R&D needs	 Determining health benefits of algal feed (justification for price) Screening algal strains for optimum yields and composition to get best feed results Integrating with waste streams (nutrients, surplus heat/ energy) and existing technologies/infrastructure for cost effective cultivation and harvesting Scaling up of growth, harvesting, processing Environmental impact assessments for scaled growth Develop / explore new value chains outside of aquaculture 		
	Requirement for technology partnerships	Support needs	Other
Enablers for successful UK commercialisation	 Integrating with waste streams and existing technology/aquaculture industry Utilising knowledge base (strains, environment) 	 Understanding of market conditions Pilot plants (investment) Educating investors 	 Successful communication Acceptability and appreciation Excellent research base
Key actions required to develop UK competitive advantage relative to the global commercial landscape	 Trials – demonstration with salmon and other species To develop a financial measure for the damage done by overfishing, in order to allow competitive pricing of algal protein Scale-up of microalgal production to achieve economy of scale and satisfy demand 		

2.5 Chemicals (5-10 yrs for speciality, >10 yrs for commodity)

The majority of the chemicals which are the building blocks of so many of the consumer items we take for granted are based on fossil resources. Long-term sustainability can only be ensured if, in addition to reducing, re-using and recycling our resources we also develop alternative, renewable feedstocks. While in some cases direct replacements are possible, in other cases it will be necessary to focus on functional equivalents rather than identical molecules.

As a general trend, platform chemicals from renewable sources struggle to be price competitive with incumbent petrochemicals. It is, therefore, desirable to provide added benefits in terms of improved functionality. The immense – and as yet virtually untapped – diversity of micro- and macroalgae provides a rich treasure chest to bioprospect for molecules with desirable functionalities ¹⁰². Arriving at a candidate molecule and organism compatible with industrial scale-up is a laborious and risk-laden process: the timescales until an organism with a desirable metabolite is discovered cannot be predicted. Once it is found, there are no guarantees that it can be cultured. However, given the astounding diversity of algae, the probability of discovering interesting chemicals is very high. Even if the strain that produces them naturally is found to resist cultivation and scale-up, the ever-increasing tool-kit of metabolic engineering and synthetic biology, where the UK has considerable strengths, can open paths towards production of the desired molecule in an established algal expression platform.

In order not to lose out in the race for novel chemicals from algae, the UK needs to invest in extensive bioprospecting, and in thorough mining of existing culture collections. In addition, the algal metabolic engineering and synthetic biology communities should work closely with the chemical industry to identify lead molecules which could be expressed in algal platforms within the concept of integrated biorefining.

In addition, as outlined in Section 2.1, algal biomass can be fed into thermochemical conversions, and the breakdown products used for chemical synthesis of desired end molecules. This potential is not unique to algae, but is shared with other sources of biomass.

¹⁰² This is elaborated in Chapter 4 of the BBSRC Scoping Study "Algal Research in the UK" ; available at bbsrc.ac.uk/web/FILES/Reviews/algal_scoping_study_report.pdf

Overall, considerable R&D and effective communication between the algal and chemical communities in the UK are still necessary to develop the large, but as yet mainly theoretical potential algae have in providing sustainable feedstocks for the chemical industry.

However, cases exist where algae can now already provide a feedstock for renewable chemicals; an example for a direct replacement product is ethanol (a platform intermediate for a host of products) derived from macroalgae. This has also been highlighted in the AB-SIG SRA as a route to commercialisation ¹⁰³. A functional equivalent with added benefits is fertiliser from macroalgae, and an existing example of a group of molecules exclusively found in algae, with particular functional traits, is hydrocolloids from macroalgae. These are described in more detail in case studies 9-11. Estimated timescales for commercialisation are given in Figure 12.

Short term Medium term Long term

0 5 10 15 years+

Ethanol
Fertiliser
Hydrocolloids

Research Development Deployment Widespread Uptake

Figure 12: Indicative commercialisation timescales for case studies on chemicals

Case Study 9: Macroalgae to ethanol for chemicals 104

Demand for non-petrochemical based / 2nd generation bio-derived chemicals is ever-increasing. Ethanol is one example of a platform chemical used for many solvent applications in pharmaceuticals, toiletries and cosmetics, detergents and household cleaners, coatings and inks, and processing solvents. It also serves as a chemical intermediate for the manufacture of ethyl acetate, ethyl acrylate, acetic acid, glycol ethers and ethylamines, amongst others; it will hence continue to be an important building block in future.

Recent developments¹⁰⁵ using an engineered strain of *E.coli* have yielded 0.281 weight ethanol per dry weight macroalgae (equivalent to ~80% of the maximum theoretical yield from the sugar composition in macroalgae). However, there is a significant challenge to make ethanol derived from macroalgae competitive with other sources on a financial basis.

Developing large-scale cultivation of macroalgae for this purpose (if not in conjunction with fish farming for bioremediation, *c.f.* Case Study 3) may deplete nutrients and influence the ecosystem. Fertilisation may remediate that, but may cause other side effects¹⁰⁶. Testing of cultivation by pilot facilities and scale up is necessary to collect more data and evidence. Preliminary data suggests that savings of greenhouse gas emissions can be achieved by using macroalgal biomass as a feedstock for biogas and bioethanol production in Denmark¹⁰⁷, but there is considerable scope for reducing energy consumption in the process. Proof of concept needs to be established now in order to pave the way for commercialisation within the next 10-20 years. This includes further research into the fermentation step to improve the viability of the process.

¹⁰³ under pathway B

¹⁰⁴ Information is also provided in Appendix 2 in the same tabulated format as in Case Study 1, to allow a direct comparison.

comparison.

105 Wargacki et al. (2012) An Engineered Microbial Platform for Direct Biofuel Production from Brown Macroalgae Science Vol. 335 no. 6066 pp. 308-313 DOI: 10.1126/science.1214547

106 c.f. AB-SIG SRA, p. 13

Merlin Alvarado-Morales et al. (2013) Life cycle assessment of biofuel production from brown seaweed in Nordic conditions *Bioresource Technology* Volume 129, February 2013, Pages 92–99 doi:10.1016/j.biortech.2012.11.029

Case Study 10: Macroalgae for organic fertiliser

Why will this be an important market?	 Proven performance benefits for horticulture Demand for non-synthetic fertiliser High carbon footprint of producing synthetic fertiliser Increase in organic agriculture 			
How will the algal technology be commercialised?		 Collaboration between seaweed producers and fertiliser companies Expansion of existing fertiliser ranges 		
Timescale to commercialisation	Now – ongoing			
Advantages of Algal Biotechnology over incumbent approaches	Scientific studies show addeNPK source as well as traceImprovement in soil characte	 Qualifies as organic – enables certification Scientific studies show added benefit to fruit setting and disease protection¹⁰⁸ NPK source as well as trace nutrients Improvement in soil characteristics¹⁰⁹ 		
Market size	 The European fertiliser mark 	cet had total revenue of \$30.4 billion	on in 2011 ¹¹⁰ .	
Growth rate	 The European fertiliser mark 2007 and 2011¹¹¹. 	ket had a compound annual growt	h rate of 13.9% between	
UK companies operating in this market sector	Alga600 (Chinese)	Maxicrop (source seaweed from Norway), Böd Ayre, Hebridean Seaweed, Leili – Alga600 (Chinese)		
UK Ecosystems potential to commercialise	 Capitalising on our large coastal region High if in conjunction with fish farming for bioremediation, <i>c.f.</i> Case Study 3 			
	Technological	Commercial	Other	
Barriers	 Need for long-line infrastructure for scale-up 	Competition on a price basis with chemical fertiliser	 Transition from wild harvest to cultivation to allow scale-up 	
Risks	 If growth is integrated with bioremediation: vectors for disease need to be controlled (low) 	Market saturation; price decay (medium)	Ecological considerations may limit scale-up (medium)	
Fit with UK capability	 Strong horticultural and plant science research base 	Small-scale industry already in existence	 Existing traditional method used by coastal farmers 	
Gaps in UK capability	Cost effective cultivation and harvestingScale up	 Transition of industry from wild-harvest to cultivation 	Limited ecological data concerning risks of scale-up	
Key innovation and R&D needs	 Scale up of macroalgal growth facilities Demonstration of fertiliser use at scale on farms to prove efficacy and dosing 			
	Requirement for technology partnerships	Requirement for Support needs Other		
Enablers for successful UK commercialisation	 Between growers and fertiliser industry Between growers and technology providers: investigate novel low cost, environmentally friendly harvesting and processing options 	Clarity about options for sustainable scale-up	 Increase in organic farming Consumer awareness of the environmental impact of chemical fertilisers 	

Reviewed in: Seaweed extract stimuli in plant science and agriculture J Appl Phycol (2011) 23:371–393

Reduction of nitrate leaching from soil treated with an *Ascophyllum nodosum* based soil conditioning agent – Leach et al. Journal of Applied Phycology 12-1999, Volume 11, Issue 6, pp 593-594

110 Research and Markets report, 2012: "Fertiliser in Europe"

111 ibid

Key actions required to develop UK competitive advantage relative to the global commercial landscape

- Identify where in the UK seaweed can be farmed sustainably
- Put in place partnerships which will allow scale-up of growth in these areas
- Verify amount of biomass that can be produced sustainably
- Use biomass for higher value purposes (such as speciality fertilisers) first, without flooding the market
- In parallel, develop partnerships and processing options for lower value, higher volume products, to capitalise on increase in capacity

Case Study 11: Macroalgae for hydrocolloids

While the bulk market for hydrocolloids for food processing is nearing maturity, there is scope for products using the same materials for pharmaceutical and other high-grade applications. UK companies such as Cybercolloids and Marine Biopolymers are leading innovation on this front.

Why will this be an important market?	 Carrageenan has long enjoyed a small share of the personal care toothpaste binder market and has started to make inroads into cosmetics and pharmaceuticals, e.g., drug capsules and excipient formulations. Alginate is used in a variety of industries beside food, e.g., textile printing, pharmaceuticals, welding rod manufacture, paper industry as well as a substrate for immobilised biocatalysts
How will the algal technology be commercialised?	Through scale up of macroalgae operations, integration with biorefinery approach
Timescale to commercialisation	now – ongoing
Advantages of Algal Biotechnology over incumbent approaches	 already used, established market and demand occupies a unique niche
Market size	 The global hydrocolloids market was worth \$3.30 billion in 2010, mostly dominated by gum arabic. Emulsifiers command between \$3-8 /kg, while gelling agents are worth \$5-22/kg. Carageenan had a European market value of \$127.9 million in 2012, with prices between \$10-12/kg. Agar had a European market of \$29.6 million in 2012 with prices between \$20-23/kg¹¹².
Growth rate	 Compound Annual Growth rate of emulsifiers is 6% Compound Annual Growth rate of gelling agents is 2.5%¹¹³
Companies operating in this market sector	 ISP Alginates (Sco) – now owned by FMC (Norwegian) Algas Marinas (Chile), Agarindo Bogatama (Indonesia), Setexam (Morocco), MSC co (Korea), Hispanager (Spain), Huey Shyang Seaweed Industrial Company (China), Iber Agar, ROKO, FMC international, Danisco, Cargill, Food Chemifa Co, Hebridean Seaweed Co. CP Kelco, FMC Biopolymer, Danisco Dupont, Shemberg Corporation, Cargill
UK Ecosystems potential to commercialise	 High: If based on sustainable use of natural stocks and farming Long coastline enables scale-up

113 Ibid

¹¹² Frost and Sullivan (2013) Sensory and Textural Food in Europe

	Technological	Commercial	Other
Barriers	• If considered as part of a biorefinery, the methods of treating biomass would have to be compatible with hydrocolloid production and vice versa (e.g., use of harsh chemicals not acceptable to food chain)	 Cost and volume of biomass (currently too expensive, and insufficient production) to compete with imports from elsewhere Difficult to compete against an established international industry 	 Potential regulatory barriers if novel hydrocolloids are developed for pharmaceuticals
Risks	IP protection by larger industries may mean it is difficult to innovate without infringing IP (low)	 Price, Volumes, Stability/ seasonality (medium) This is a mature market, and entry of a new player is likely to depress value of the product especially if hydrocolloids were produced in large volumes.¹¹⁴ (low) 	Delays to entering market if regulatory approval was necessary for new products (low)
Fit with UK capability	 Pharma and drug delivery R&D 	 Industry could develop and adapt Existing good knowledge base Seaweed industry exists but small scale 	 Integrate this with recent/current initiatives: FPI, Energetic Algae, Biomara, IDREEM
Gaps in UK capability	 Small scale harvesting, would require scale up to produce a significant volume 	 UK companies operating in this industry have been acquired by other multinationals 	 Lack of awareness of innovation potential for seaweed products
Key innovation and R&D needs	 Scale up Pilot / demonstration plants Availability of algal biomass Cost effective cultivation and Increase in evidence base for value-added functionalities for 	harvesting or potential health benefits of hydroc or speciality applications, e.g., in ph	colloids, and of range of arma
	Requirement for technology partnerships		Other
Enablers for successful UK commercialisation	Fine chemical companies working with academic base to unlock innovation potential for seaweed products	 Understanding of market conditions Understanding of regulatory restrictions for pharma use Pilot plants (investment) Educating investors 	Development of macroalgal biorefining concept, with pilot operations
Key actions required to develop UK competitive advantage relative to the global commercial landscape			

Lewis, J., Salam, F., Slack, N., Winton, M., Hobson, L. 2011. 'Product options for the processing of marine macroalgae – Summary Report'. The Crown Estate, 44 pages. ISBN: 978-1-906410-31-5

2.6 Bioenergy and biofuels (5-20 yrs)

Like food security (see Section 2.4), energy security is an increasingly urgent global issue, with great impact on national economies and politics. Rising energy prices have a profound impact on industry as well as individual households. Fossil fuels are not only increasingly expensive to extract (for technical and/or geopolitical reasons), but are linked to carbon emissions which accelerate climate change and the concomitant incidence of extreme weather events, with further destabilising effects on the economy.

Renewable sources such as wind, solar and geothermal energy are associated with expensive infrastructure, and are mostly not available on demand, while nuclear power (especially post-Fukoshima) poses other environmental challenges. Biomass as an energy source can be stored (albeit for a limited time in the case of algae), and unlike the other non-fossils can be a feedstock for liquid transport fuels.

Reducing energy consumption through improvements in efficiencies and a change in consumer mindset is essential, but biomass will need to play its role if the UK is to meet its carbon reduction targets and renewable obligations. The potential of bioenergy, and innovation required to fulfill that potential, have been discussed in the recent Bioenergy TINA¹¹⁵. 1st generation biofuels are controversial due to possible competition with food and feed¹¹⁶, the pressure on arable land (leading to direct or indirect land use changes) and on freshwater supplies. Alongside lignocellulosic biofuels, algae-derived liquid transport fuels have attracted a large amount of interest and funding on a global scale. However, it has become clear that substantial challenges still have to be solved before large-scale economically and environmentally sustainable production of biofuels from algae can become a reality¹¹⁷.

However, within the context of integrated biorefining (*c.f.* Section 2.1), various forms of energy can be a coproduct also in the near- and medium term. In this concept, the energy burden of processing ¹¹⁸ is justified by the suite of products derived from the processed algae.

Figure 13 illustrates how algal biomass can be converted to energy. Most favourable will be those pathways which do not require the energy-intensive step of drying the biomass, such as AD and liquefaction.

Of the pathways given in Figure 13, conversion into methane through Anaerobic Digestion (AD) has been highlighted in the AB-SIG SRA as a medium- to long-term option for bioenergy production (pathways A and B); liquefaction as a long-term choice for biofuel production (pathways C and D).

Indeed, opportunities for use of macroalgae in mixed feedstock AD are emerging already now, especially in Northern Ireland, where AD attracts quadruple ROCs, and in combination with sewage AD plants in areas of high seasonality. *E.g.*, in coastal holiday towns, where sewage production is considerably higher in summer, macroalgae could be a supplemental feedstock in winter. This could ensure that the full capacity of the AD plant can be used around the year¹¹⁹. Issues around seasonal harvesting and storage will need to be addressed. In addition, photosynthetic microbes can also add considerable value to AD operations

biomass for anaerobic digestion are still very much under investigation. An Irish study on the current feasibility based upon a commercial gas price of €8/GJ in August 2008 and REFIT tariff available for electricity from biogas in Ireland of €120/MWh concluded that the biomass feedstock would have to cost less than €63 per tonne for the process to break even. A separate study commissioned by The Crown Estate stated the value must be less than £300 per dry tonne for the process to be financially sustainable.

_

¹¹⁵ Published Sept 2012; available at lowcarboninnovation.co.uk/document.php?o=9

although the protein portion/DDGS after fermentation of grain to ethanol, and the press cake after extraction of oils for biodiesel from seeds, can be used as animal feed

¹¹⁷ US Department of Energy report "Sustainable Development of Algal Biofuels in the United States", 2012, available at https://download.nap.edu/catalog.php?record_id=13437

which especially for many microalgal strains can be substantial; for an example quantification see Stephenson AL, Kazamia E, Dennis JS, Howe JH, Scott, SA, Smith AG, 2010. Life-Cycle Assessment of Potential Algal Biodiesel Production in the United Kingdom: A Comparison of Raceways and Air-Lift Tubular Bioreactors. *Energy & Fuels*, 24(7), 4062-4077 doi: 10.1021/ef1003123

This has been discussed at the AB-SIG conference in June 2012 (for presentation slides see:

This has been discussed at the AB-SIG conference in June 2012 (for presentation slides see: connect.innovateuk.org/c/document_library/get_file?p_l_id=2244614&folderId=8580598&name=DLFE-87878.pdf.) The economics depend on scale, and on revenue from the digestate. Overall, the economics of using macroalgal

primarily as a means to upgrade digestate¹²⁰. This is of increasing relevance as AD is being adopted by agri, food, waste and retail entities in urban locations, where transportation of digestate for land application is not feasible.

Further details are given in case studies 12 (Macroalgae for AD) and 13 (Microalgae to synthetic fuels via thermochemical conversion). Estimated timescales for commercialisation are given in Figure 14.

Figure 13: Biomass processing options (simplified) for energy products





Figure 14: Indicative commercialisation timescales for bioenergy case studies



¹²⁰ Pers. comm., Steve Skill, April 2012

Case Study 12: Macroalgae for Anaerobic Digestion (AD)

Why will this be an important market?	 AD: AD is becoming an important means of generating biogas (if coupled to CHP: electricity & heat) and reduces reliance on fossil fuels. Means of retrieving value from waste (e.g., food waste, farm waste); for scale-up additional feedstocks are needed, which macroalgae can provide Provides a means for decentralised energy generation; could reduce energy cost for remote communities. <i>E.g.</i>, to provide all the households on Mull in Scotland with domestic gas from macroalgae (they currently have no domestic supply) would require the methane from 430 ha of macroalgal cultivation based on 200 tonnes/ hectare production¹²¹. Contributes to energy mix, leading to higher resilience in energy supply
How will the algal	
technology be commercialised?	 For algal growth: Make full use of sustainable natural harvest (including ecologically responsible beachcast harvest) For further scale-up on long lines: As far as possible integration with remediation / waste treatment / fish farming For AD:
	 Integration with existing operations dealing with food / farm waste, or other energy crops, to provide an additional / alternative source of feedstock Recovery of nutrients in digestate – potential for use as fertiliser
Timescale to commercialisation	5-10 yrs 122 (small scale addition to existing AD facilities could start immediately)
Advantages of Algal Biotechnology over incumbent approaches	 Use of macroalgae reduces reliance on other feedstocks for AD which may compete with food. Co-digestion of macroalgae with food waste provides a viable financial route for the utilisation of macroalgae in a sustainable bio-energy based energy platform. This applies to energy schemes from < 500 to 2000 kWe with macroalgae gate prices ranging from £100 – 300 per dry tonne. Overall, the scenarios that appear to be commercially possible at the present time require that seaweed be delivered to the operating plant at between £125-300 per dry tonne. Under the right criteria for macroalgae and food waste, anaerobic digestion is an investable proposition with efficient returns for both the project developer and macroalgae harvester¹²³. Importantly, biomethane has the potential to reduce GHG emissions (21.9%) and fossil fuel depletion (58.6%) for seaweed farmed for bioenergy relative to natural gas¹²⁴. Reduces pressure on land, as it acts as a replacement for energy crops Possibility for near shore and offshore cultivation
Market size	 Currently 106AD plants are in operation in the UK outside of the water industry, in addition 146 plants are run by the water industry as part of sewage operations ¹²⁵. 222 planning applications for AD plants have been submitted.
Growth rate	• The installed capacity in the worldwide market for biogas plants will increase from around 4,700 to about 7,400 MWel between 2012 and 2016 ¹²⁶ .
UK companies operating in this market sector	Some AD examples (currently no macroalgae-focused operation, but a demonstration facility is in planning in Scotland): Biogen-Greenfinch, AWS, Andigestion Ltd / Summerleaze Group water companies (sewage treatment) numerous independent farms

¹²¹ Hughes *et al.* (2012) Biogas from Macroalgae: is it time to revisit the idea? *Biotechnology for Biofuels*, 5:86 doi:10.1186/1754-6834-5-86 ¹²² *c.f.* pathways A and B in AB-SIG SRA

Lewis, J., Salam, F., Slack, N., Winton, M., Hobson, L. 2011. 'Product options for the processing of marine macro-algae – Summary Report'. The Crown Estate, 44 pages. ISBN: 978-1-906410-31-5

Langlois et al. (2012) Life cycle assessment of biomethane from offshore-cultivated seaweed, Biofuels,

Bioproducts and Biorefining Volume 6, Issue 4, pages 387–404, doi: 10.1002/bbb.1330

125 Figures collated by NNFCC and WRAP in 2013 available from www.biogas-info.co.uk/index.php/ad-map.html thebioenergysite.com/articles/1345/european-biogas-market-grows-but-german-market-slumps

UK Ecosystems potential to commercialise	 High, if algal farms can be sighted in eutrophication zones But: potential ecological changes could arise due to intensive cultivation of macroalgae, e.g., changes to local hydrodynamics and resulting sedimentation patterns, benthic impacts from increased organic matter supply, changes to water column nutrient availability and from shading of the sea-floor While beachcast material mostly plays an important ecological function, the removal of some odour-producing red algae can have environmental benefits¹²⁷. 		
	Technological	Commercial	Other
Barriers	 Algae: Overcoming seasonal supply/availability of feedstock Development of lower cost methods of macroalgae farming AD: Need to upgrade biogas and clean up, non compressibility of methane Need for infrastructure to export products to point of use 	 Price of algae supplied must be <£300 per dry tonne to make the business case for AD stand up. Many AD operations currently run on waste products / charge gate fees, rather than paying for feedstock. Energy end product not very high value but could be more valuable in rural areas for decentralised energy supply. Using a scale of 100,000 dry tonnes of biomass per year macroalgae costs would need to be less than €63 per tonne of dry weight biomass for the process to be economically viable 128. Technology exploitation limited by resource scale (but could be transferred) Market is constrained by location of resource. 	sites for production are close to location of demand
Risks	 Different strains of macroalgae may have differing impacts on AD process – optimisation of conditions may be required Macroalgae bioaccumulate heavy metals – could impact use of digestate as a fertiliser 	Security of supply of algal feedstock	 Change in government policy regarding feed in tariffs Potential ecological changes due to intensive cultivation of macroalgae (see above)
Fit with UK capability	 Growing expertise in macroalgae cultivation 	Links to aquaculture industry -> bioenergy from wasteGrowing AD industry	Marine special planning expertise
Gaps in UK capability	 Pilot / demonstration plants for algae-fed AD Fragmentation across expertise sectors: needs integration pull 	It is still difficult to attract funding for AD operations	 Funding landscape for scale-up
Key innovation and R&D needs	inputs at reduced cost)Selective breeding of macro	tal and ecological consequences of growt al biomass production	

¹²⁷ c.f. http://wabproject.pl/index.php?ver=en
128 Bruton, T., H. Lyons, Y. Lerat, M. Stanley and M. B. Rasmussen (2009). A review of the potential of marine algae as a source of biofuel in Ireland. Dublin, Ireland, Sustainable Energy Ireland

	Requirement for technology partnerships	Support needs	Other
Enablers for successful UK commercialisation	 Links to other existing industry frameworks Knowledge/ technology dissemination (innovation and industry sector linked) 	 Pilot facilities Funding for RD&D on needs identified above 	 Public awareness Devolved/ localised mass cultivation: Grow locally where demand Successful examples and case studies (demonstration of scalability)
Key actions required to develop UK competitive advantage relative to the global commercial landscape	 A demonstration facility should be built in the West or North East of Scotland on one of a number of sites identified for this purpose, to prove the concept and showcase the potential for further exploitation. 129 Such a facility should be fed with seaweed based on the harvesting of the existing standing crop to prove the yields, economics and impact on the overall environmental sustainability. 130 Further development of potential seaweed cultivation activities should then be considered to improve the economics and sustainability of such activities. 131 		

Case Study 13: Microalgae for synthetic biofuels via thermochemical conversion 132

The drivers for producing biofuels from algae are clear: renewable liquid transport fuels will have to be a part of the energy landscape of the future, as sectors like aviation cannot be electrified. The only nonpetrochemical source is biomass, and the trend (encouraged by regulation 133) is away from 1st generation biofuels. Other advanced biofuels are mainly based on fermentation of lignocellulosic materials, leading to bioalcohols with low energy density. Microalgae are an ideal source of high-density fuels, with all the attractions that they do not depend on freshwater or arable land, can scrub CO₂ from flue gasses and nutrients from waste streams, have the potential for higher biomass yields than land plants, and can be cultured guasi-continuously, in contrast to seasonal harvesting. These intuitive advantages have led to substantial private and public investments. Much progress has been made, and some ventures are at demonstration (Sapphire Energy¹³⁴ are producing biocrude from algae grown in open saltwater ponds in a 300-acre demonstration plant). However, in the UK, microalgal biofuels are currently produced at lab scale, and are predicted to become competitive in terms of price or scale within 15-20 years (AB-SIG SRA¹³⁵. Pathways D and E). Large-scale production in the UK will depend on the development of environmentally and economically sustainable off-shore cultivation; this is under way at Cranfield University. In the meantime, the expertise that has been developed in the UK through the Carbon Trust's Algae Biofuels Challenge, short-lived though it was, and through R&D projects funded by the oil industry, can and should be put to good use to develop biofuels as one product of integrated biorefining, as described in Section 2.1. For maximum flexibility concerning both feedstock and end product, thermochemical conversion should be explored (AB-SIG SRA, Pathway D).

There is considerable scope for innovation relating to algal cultivation at scale to improve the efficiency of production markedly, especially on harvesting and processing. Close collaboration with technology providers will be essential (c.f. Section 2.7). Investment in pilot facilities is necessary to allow data collection for LCA and process modelling, a vital step towards sustainable deployment.

¹²⁹ Lewis, J., Salam, F., Slack, N., Winton, M., Hobson, L. 2011. 'Product options for the processing of marine macroalgae - Summary Report'. The Crown Estate, 44 pages. ISBN: 978-1-906410-31-5 ibid

¹³¹ ibid

¹³² Information is also provided in Appendix 2 in the same tabulated format as in Case Study 1, to allow a direct comparison.

¹³³ The EU Biofuels directive stipulates that the use of food-based biofuels to meet the 10% renewable energy target will be limited to 5%.

sapphireenergy.com/


available at connect.innovateuk.org/c/document_library/get_file?p_l_id=2244614&folderId=7863898&name=DLFE-81879.pdf

2.7 Algae knowledge industries and technology providers (1-10 yrs)

As highlighted in the introduction, the UK possesses a wealth of expertise and know-how which could and should be developed into a vibrant, globally active knowledge industry. This expertise falls broadly into two categories: consultancy (on markets, environmental factors, algal IP/publication landscape), and technology provision (biotechnology methods, growth/harvesting/processing technologies). Details on both are given in case studies 14 and 15 below, respectively. Estimated timescales for commercialisation are given in Figure 15, with two separate timelines for equipment and industrial biotechnology methods for Case Study 15.

In addition, the creative industries have started to embrace algae. A number of designers and artists have been using macro and microalgae as a raw material in their work. The Victoria and Albert museum in London has an artist in residence¹³⁶, Julia Lohmann, who has called her tenancy the "Department of Seaweed". Her aim is to develop craft products that can be made from macroalgal fronds. High profile architectural projects have included algal elements as a design feature. Examples include the Alga(e)zebo by Marcos Cruz, Director of the Bartlett School of Architecture, which was commissioned for London 2012 and exhibited at Euston station¹³⁷. An exhibition in 2013 in Paris, entitled "Alive", will showcase two pieces from UK-based designers that incorporate microalgae¹³⁸.

Figure 15: Indicative commercialisation timescales for case studies on knowledge industries



138 thisisalive.com/exhibits/

¹³⁶ vam.ac.uk/whatson/event/2414/product-design-residency-julia-lohmann-3702/

bartlett.ucl.ac.uk/architecture/news/london-2012

Case Study 14: Knowledge industry for consultancy on algal know-how 139

Building a strong knowledge industry to complement technical research is important for a number of reasons. Firstly, market intelligence is essential for commercialisation of any algal product or hardware. A consultancy industry that has strong links to primary data producers and who can translate these into the commercial context is highly valuable. Secondly, long-term survival of any industry demands minimizing environmental impacts. Understanding these allows risk to be minimised and enables responsible management of resources. Demonstrating this in the context of Corporate Social Responsibility is also a very important factor for PR and branding, with relevance to consumer confidence and staff morale. Feasibility studies and desk-based modelling will be required in future to ensure project success from environmental and economic standpoints. Finally, consultancy on general algal know-how and sharing of best practices accelerates how fast the industry can move. This includes developing teaching tools, training programs from grass-roots level for learning about the industry, but also working on policy advice and public perception to ensure that there is community buy-in and engagement.

Knowledge-intensive services have become the predominant source of jobs in the UK economy, and have been responsible for a large proportion of new jobs over the last 30 years¹⁴⁰.

Creating a knowledge industry in parallel to industrial biotech can also contribute to retaining a larger pool of skilled graduates with training relevant to algal technologies. This reduces the brain drain and builds an interdisciplinary pool of expertise that UK-based algal IB industries, as they develop and expand, can then tap into for recruitment.

Lack of skilled workforce has been identified as a key bottleneck in developing an algal industry internationally 141.

Commercialising the service offerings for the algal industry will involve addressing not just the UK but a global market. There are opportunities to work with industry, policy makers, NGOs, teaching and training institutions and communities. One essential role for a knowledge industry is to promote positive interactions between players in the supply chain and underpin commercialisation of ideas. Through offering reports, reviews, advice, feasibility studies and training programmes, algal consultancies can play a varied range of roles. Commercial activity can begin at a small scale immediately, and will grow alongside the industry.

Knowledge transfer between academia and industry is vital, and this cannot be assumed to take place without mediation. Likewise, buy-in from stakeholders (planning / regulatory bodies, communities) for introduction and expansion of algal technologies requires a third party to assist with this process. At present a number of UK bodies operate in this sector, and most of these are embedded in academia or have strong academic links – *e.g.*, NNFCC, InCrops, SAMS and PML offer commercial consultancy. The AB-SIG and KTNs also act as a gateway to academic expertise. Retaining skilled graduates in a number of fields including LCA, marine spatial planning and biotechnology will become increasingly important as the field develops.

Companies starting up in the algal sector can benefit enormously from the knowledge industry to support their businesses. Currently, this is assisted *e.g.*, by Regional Development Funds and TSB Innovation Vouchers. Schemes such as these enable entrepreneurs to take their developments further and assess risk. Maintaining the access to pilot data is crucial to a knowledge industry for both macro and microalgae.

¹⁴¹ The Algal Industry Survey 2008 (published February 2009), available at: www.ascension-publishing.com/BIZ/algal-industry-survey.pdf

51 | Page

¹³⁹ Information is also provided in Appendix 2 in the same tabulated format as in Case Study 1, to allow a direct comparison.

¹⁴⁰ Work Foundation Report: A plan for growth in the knowledge economy Technical Annex A Knowledge Economy Programme Paper June 2011 – figures based upon ONS workforce jobs data, 1978 to 2010

Case Study 15: Technology suppliers for equipment and industrial biotechnologies

Why will this be an important market?	 Innovations needed to improve yield technologies to overcome specific h UK has significant research base – engineering Innovations to reduce energy consufield to become economically competition. 	urdles novel algal products / capabil mption and increase product	ities in science and
How will the algal	Via SMEs, start ups, academic spin-outs		
technology be commercialised?	 Via collaborations between academ biotech / pharma industry) 		ture / water / chemical /
Timescale to commercialisation	Equipment: some already commercIB methodologies: 5-10 years	ial, others in development (1-	10 years)
Advantages	Capitalise on strong research base companies in related fieldsEngineering and bioprocessing expension		n expertise of technology
Market size	 Dependent on invention – either as existing one. 	enabling a new market or as	a component in an
Growth rate	 The number of patents granted on a over 600 patents granted worldwide 		s been growing steadily –
UK companies operating in this market sector	 Algenuity, Varicon Aqua, Sphere Flu Photobioreactor.co.uk, AlgaeCytes, ExAlga / Merlin Biodevelopments, F 	Supreme Biotech, Xanthella;	previously Seasalter,
	Technological	Commercial	Other
Barriers	 Algae are slow growing, compared with other industrial microorganisms genetic toolkits are still under development Range of species is vast – difficult to know where to start 	 No coherent supply chain Capital intensive Investors are risk averse 	 A lot of industry data research generated in multinationals does not get developed
Risks	GM algae may never be licensed / growth in contained environments negates CO ₂ benefits?	 Return on Investment may not be guaranteed 	RegulationsNegative public perception (GM)
Fit with UK capability	 Algal culture collections Industrial Biotech experience Engineering and technology expertise 	 tax breaks for R&D / Patent Box initiative 	
Gaps in UK capability	 Graduates with appropriate skill sets - multidisciplinary Access to operational macroalgae farms / microalgae production for testing Access to raw material for testing 	Difficult to find investors perceived as high risk	Small algal community
Key innovation and R&D needs	Access to affordable R&D/ analyticaMore rapid development of metabol		biology toolkits
	Requirement for technology S partnerships	support needs C	ther
Enablers for successful UK commercialisation	Introduction of technology experts in (bio-)processing to algal field	Partnering platforms: We need technology to solve problem X – who can help?	Contact between Foreign and Commonwealth Office and service providers to increase international visibility of service offerings
Key actions required to develop UK competitive advantage	 Open access analytical / demonstra Retention of skilled graduates in field 		-

3. CONCLUSIONS

What this roadmap set out to achieve

This document aims to identify how the UK can develop a sustainable and internationally competitive algal industry, and how algal technologies might help to address economical, environmental and social challenges facing the UK.


It attempts to paint a picture of which algal products, processes and services

- are already on the market or have the potential to be commercialised in the near future
- are expected to come online medium term
- will require considerably more R&D before a realistic assessment of deployment potential can be made.

It emphasizes where the community sees the highest potential for the UK, and what interventions will be needed to make sure opportunities can be seized in a timely, economically and environmentally sustainable manner. The potential is illustrated with 15 case studies. The level of reliable data and detail available for these case studies varies considerably. Those areas with as yet sparse information would benefit from being addressed in further detail, for example through ongoing AB-SIG / KTN workshops with respective sector specialists, incorporating data from test and pilot growth facilities as they become available.

Figure 16 depicts the predicted timelines to commercialisation for the 15 case studies which have been introduced in Chapter 2, moving from research (in red), via development (blue) and deployment (light green), through to widespread uptake (dark green). Nutraceuticals (such as the PUFA DHA, antioxidants and functional algal food and feed ingredients), cosmetic products, hydrocolloids, fertilisers and some technologies and consultancy services are already being deployed, with a spectrum of options for increasing market shares for UK-based companies and introducing novel products. Research is still required for pharmaceuticals (and the PUFA EPA), platform chemicals, biofuels and ongoing technology innovation. Areas in development include bioremediation solutions, animal feed, Anaerobic Digestion and a broader suite of consultancy services.

Figure 16: Expected timeframe for development of commercialisation opportunities for case studies



Factors that influence the potential for success include market pull, technology readiness and existing expertise, international competitive landscape, fit with legislative and regulatory drivers, as well as geographical, financial and environmental competitive advantages.

Overall, the UK has a strong portfolio of existing expertise in algal industrial biotechnology and molecular biology which can be applied for the development of mainly micro-, but also some macroalgal applications for a knowledge-based bioeconomy. This is well aligned with UK and EU policy and research funding priorities. Despite the strong international competition, we expect algal industrial biotechnology and associated services to develop into a commercially successful sector in the UK, provided the political and funding support is not withdrawn, as regrettably was the case for the Carbon Trust Algae Biofuels Challenge. International competition could benefit the UK if strong transnational collaborations can be built. This sector will thrive through generation of IP and high value products and services, and is comparatively independent of geographical and environmental parameters, although for economic and environmental sustainability integrated biorefining solutions need to be sought as much as possible even for high value products.

The largest market pull is found for products and services that in the current technoeconomic assessments are most challenging to achieve: biofuels, bulk feed and chemicals, and large-scale bioremediation, e.g., for CO₂ capture and storage. Existing UK expertise needs to be used, strengthened and expanded to address these challenges in the context of internationally collaborative R&D with strong commercial underpinning, so the UK can stay in the race for developing long-term step-changing solutions.

The UK possesses a geographical competitive advantage through its extensive coast line, which offers opportunities for cultivation of macroalgae at larger scales, provided environmental sustainability can be demonstrated throughout scale-up. These ecosystem capabilities are complemented by strong expertise in environmental sciences that should be exploited to build a knowledge industry with global reach.

Mapping the above onto the case studies of Chapter 2, we expect the following areas to be commercially most promising:

In the short to medium term:

- high value products from both macro- (condiments and premium sea vegetables, high value uses of hydrocolloids) and microalgae (increased production of established and emerging bioactives, e.g., DHA, EPA, pigments, antioxidants, sunscreens)
- bioremediation using macro- and microalgae linked to feed and fertiliser production and decentralized energy generation via AD
- knowledge industries for technology provision and consulting

In the medium to long term:

- integrated biorefining of micro- and macroalgae coupled to fractionation or thermochemical conversion for a suite of chemical and energy products
- novel bioactives through bioprospecting (micro- and some extent macroalgae) and metabolic engineering (microalgae) for pharma, cosmetics, nutrition

_

¹⁴² including development of 'Algae Omics' and molecular toolkits

Key enablers to allow the UK to exploit identified market opportunities

To assess fully how the UK could derive most benefit from algal technologies, it will be necessary to know

- the potential scale of production that the UK could support
- how much is needed should all the opportunities for use be realised
- whether the UK would be able to sustain security of supply or depend on imports.

These questions are both highly important and – particularly in the case of scale of production and security of supply – rather frustratingly impossible to answer with any degree of accuracy based on currently available data.

The most vital enabler, common to both macro- and microalgae and relevant to the whole value chain of products, would hence be the immediate provision of scale up and demonstration plants that allow collection of reliable data on yields and financial as well as environmental sustainability. Complemented by mapping of sites across the UK where the biomass could be grown sustainably, this would enable a meaningful projection of the potential scale of production.

Having access to realistic and regional data from scale up facilities is essential to exploiting any of the market opportunities described in Chapter 2; it is paramount that the risk factors are reduced for industrial stakeholders who are interested in investing but are not prepared to commit funding based upon literature or extrapolated data. These facilities need to have critical mass and concentrate on both upstream (growing) and downstream (processing) activities so that more precise estimations of yield, cost and environmental impact can be made.

Allied to the idea of demonstration facilities is the need for modelling of cost, yield and sustainability based on real data. At present the margins of error are large, increasing the risk in forecasting business performance and viability. Particularly for bioenergy, where the business cases rely on reductions in GHG emissions, it is vital that this can be demonstrated *in situ* through reliable LCA. Other technical, financial, service- and regulation-related enablers are detailed in Table 2.

Table 2: Overview of enablers

Technical	 Accessible test / pilot / demonstration facilities to collect data on ecological impact, operational costs, life cycle parameters and variability of yields, all of which will underpin developing business case scenarios and scale-up:
Financial	 Security of funding for RD&D, with increased accessibility for micro-SMEs, to attract and retain skilled personnel / entrepreneurs, and accelerate commercialisation Successful examples of algal biotechnology applications leading to increased confidence and maturing supply chains Attributing a direct value to bioremediation through financial incentives / penalties
Services	 Closer interaction and knowledge transfer between academia and chemical & pharma industries, to guide development of algal expression for platform chemicals and pharmaceutically interesting scaffold molecules Algal bio-business incubators and clusters Marketing / increasing visibility of UK expertise and products on the global stage: for environmental know-how, technologies and products Customer / public awareness and acceptance to increase demand and avoid NIMBYism
Regulation	 Providing clarity about regulatory context (macroalgae: marine licensing; microalgae: GMO regulation) Simplifying IP protection

Recommendations for actions and investment

Macroalgae

For macroalgae, two fundamental options exist for expanding commercial activity: firstly, to harvest wild stocks more widely and diversify the small industry based on that, by exploring new markets for traditional and novel products; and secondly, to establish commercial longline cultivation. To ascertain the degree to which wild harvest could be expanded sustainably, an updated version of the seaweed maps of Walker from the 1940s¹⁴⁵ is urgently needed. A number of regional mapping initiatives are being carried out across the UK; these should be brought together so that gaps can be filled and that an up-to-date overall picture

¹⁴³ Where wet biomass can be used as feedstock and nutrients can be easily recovered (*c.f.* Biller P, Ross AB, Skill AC, Lea-Langton A, Balasundaram B, Hall C, Rilley R, Llewellyn CA (2012) *Nutrient recycling of aqueous phase for microalgae cultivation from the hydrothermal liquefaction process*. Algal Research 1(1):70-76).

¹⁴⁴ For microalgae this is partially under way through the EnAlgae project; some regional mapping initiatives exist for macroalgae

¹⁴⁵ Walker, FT (1947), A Seaweed Survey Of Scotland–*Fucacae*. Proceedings of the Linnean Society of London, 159: 90–99

can be presented. Small-scale cultivation is under way in some companies such as Böd Ayre and the Hebridean Seaweed Company, and pilot facilities are being established at research institutions through projects such as EnAlgae and IDREEM. To build on expertise gained on these sites, investment will be needed for further scale up of macroalgal farming, and concomitant data collection. This is essential for establishing reliable projections for feedstock costs, as well as environmental sustainability. 146 More clarity about costs at scale will enable building business cases for those processes (e.g., bioethanol production) which are technically feasible, but where the cost benefit still has to be proven. Furthermore, funding is needed for processing and biorefining of macroalgae, to broaden the spectrum of potential endproducts. In addition, investment should be targeted towards feasibility studies for local energy generation in remote areas, e.g., by supplementing sewage-based or mixed feedstock AD with macroalgal biomass¹⁴⁷. Operation of pilot schemes would demonstrate whether this can be accomplished and if it could provide a stable and reliable source of domestic gas, while at the same time boosting employment opportunities. A list of recommendations, linked to the enablers given above, is presented in Table 3.

Table 3: Summary and rationale of recommendations for macroalgae

Recommendation	Rationale
Clarify potential for sustainable harvest from wild and cultivated stocks	 The last comprehensive study on wild stocks (for Scotland only) was carried out by Walker in the 1940s¹⁴⁸. More recent, UK-wide data is needed to assess if/how wild harvest could be expanded sustainably. Available data from regional studies needs to be collated, gaps need to be filled and all data needs to be made available in a unified format. Sites suitable for cultivation and their potential yields need to be identified.
Invest in pilot and scale up facilities	 Majority of case studies lack data to model financial feasibility. Margin of error projecting from lab scale is too great, deters investment and possibly leads to shelving of promising technologies. Impact and yields of intensive cultivation are currently mainly theoretical. Scarcity of biomass is a bottleneck in developing biorefinery processes.
Develop clearer marine licensing procedure for offshore macroalgae cultivation	 Current procedures are lengthy, without a unified approach. Macroalgae are currently considered under same criteria as mussel farms.
Conduct R&D into seasonality	Overcoming seasonal productionResearch into storage of macroalgae
Invest into downstream technologies	 Develop extraction methodology / processing to improve yields of fermentation products to extract high value molecules and enable use of residual biomass
Invest into strain development and bioprospecting	Improving domestication of commercially relevant strainsScreening and R&D to identify promising candidates
Ensure a skill base	Encouraging multidisciplinary researchAttracting and retaining skilled graduates
Develop supply chains matched to production capacities	Joining up producers and processorsDiversifying product range

Similar recommendations are also made by the Bioenergy TINA (2012), p. 34; available at carbontrust.com/media/190038/tina-bioenergy-summary-report.pdf

Building on the results of Strathclyde University in conjunction with Scottish Water, SAMS, CREW and MASTS, c.f. presentation given by B. Postlethwaite at the AB-SIG conference 'Opportunities for Algal Commercialisation' on 20 June 2012; slides available at

https://connect.innovateuk.org/c/document_library/get_file?p_l_id=2244614&folderId=8580598&name=DLFE-

^{87878.}pdf
148 Walker, FT (1947), A Seaweed Survey Of Scotland–*Fucacae. Proceedings of the Linnean Society of London*, 159:

Microalgae

Microalgal cultivation in the UK is largely still at R&D stage. At present pilots (with the possible exception of the Boots-PML venture at Nottingham) are too small to make commercially meaningful projections, and the volumes of algae produced are insignificant compared to the requirements of most industries interested in the material as a feedstock. Urgent investment is needed into larger, accessible test, pilot and demonstration facilities. Furthermore, to guide the choice of strains, processing options and end products for scale-up, market intelligence will be required on the value, market size and purity requirements of products that could be derived from algae in the context of integrated biorefining. Supply and demand for the various co-products needs to be balanced to avoid flooding the market.

Investment is also needed in underpinning upstream and downstream technologies: synthetic biology, metabolic engineering, strain development and bioprospecting, harvesting, dewatering and fractionation technologies, and thermochemical conversions. A list of recommendations, linked to the enablers given above, is presented in Table 4.

Table 4: Summary and rationale of recommendations for microalgae

Recommendation	Rationale
Provide consolidated investment in pilot and scale up facilities	 Majority of case studies lack data to model financial feasibility. Margin of error projecting from lab scale is too great, deters investment and possibly leads to shelving of promising technologies. Impact and yields of intensive cultivation are currently mainly theoretical. Lack of feedstock availability presents a bottleneck in testing possible products and technologies, and in developing biorefinery processes.
Provide clarity about GMO regulation	 Productivity, ease of handling and product spectrum can be greatly enhanced through GMO methods; clarity needs to exist as to how GMO algae can be grown at industrial scale.
Conduct RD&D into integration with waste streams	 Enabling greater collaboration and coordination to access resources needed for algal growth Underpinning economic sustainability Providing bioremediation
Fund metabolic engineering, strain development and bioprospecting	 Expression toolkits for a variety of strains Algae Omics Improving domestication of commercially relevant strains Expanding strain collections, screening programmes Strengthening and expanding international collaborations
Invest into downstream technologies	 Harvesting, dewatering and fractionation technologies Thermochemical conversions (e.g., hydrothermal liquefaction catalysts)
Ensure a skill base	Encouraging multidisciplinary researchAttracting and retaining skilled graduates
Develop supply chains matched to production capacities	 Joining up producers and processors Identifying needs of users (e.g., HACCP, FEMAS) and matching the production processes accordingly Closer collaboration with existing industries to understand if algae can provide a valid alternative feedstock

Summary

Algal technologies have considerable potential to contribute to economic growth in the UK. To realize this potential for delivering sustainable products and services, and for expanding the knowledge-based bioeconomy, it is essential to invest into scale-up cultivation facilities for macro- and microalgae, to develop the concept of integrated biorefining, and to harness UK expertise for the development of a thriving, globally relevant industrial biotech and knowledge industry.

Figure 17: Overview of recommended actions

Macroalgae:

- to clarify potential for sustainable harvest
- to develop clearer marine licensing procedure for offshore cultivation
- to conduct R&D into seasonality and storage

Common to both:

- to invest in
 - · scale-up facilities
 - downstream processing
 - strain development and bioprospecting
- to develop supply chains matched to production capacities
- to ensure a multidisciplinary skills base

Microalgae:

- to provide clarity about GMO regulation
- to develop clearer marine licensing procedure for offshore cultivation
- to conduct RD&D into integration with waste streams
- to fund metabolic engineering / molecular toolkits

APPENDIX 1

Summary of Roadmapping Workshops

In Oct and Nov 2012, two roadmapping workshops were held by AB-SIG, facilitated by IfM, which have directly fed into this document. The text below, provided by IfM, gives a high-level overview of process and key outcomes. Participants and their affiliations for both workshops are given in the subsequent to tables.

Participants identified priority Drivers, Market Needs, Opportunities, Capabilities and Enablers in the Short, Medium and Long timeframes. The most important market opportunities were then highlighted and explored in more detail.

In prioritising relevant Trends & Drivers, there was a strong emphasis on resource and environmental challenges to which Algal Biotechnology might provide solutions, including the drive for renewable fuels; energy pricing and scarcity; climate change and food supply and pricing. Pressures caused by an expanding and ageing population; resource scarcity and land availability were also stressed. Legislative challenges included CO₂ reduction targets; tighter waste regulation; Nitrate directive and GMO legislation.

Enabling drivers in the value chain included

- a clear regulatory landscape;
- interaction with existing industries;
- successful examples of algal biotechnology applications leading to market demand and
- a clear business case for commercial scale production.

A world-class research base was considered highly significant: the potential to exploit Synthetic Biology synergies also being important. It was recognised that increased customer awareness and acceptance was key, with additional research into environmental factors being an associated requirement.

In support of these prioritised opportunities, a wide range of capabilities were identified, the most relevant of which were: lower cost production and harvesting; scalability modelling and downstream processing; greater energy efficiency and lower cost bioreactor design; systems and processing; and accessible strain development.

The workshop also identified other key enablers for success, underpinning these capabilities as: pilots and demonstrators; secure funding; science skills development; life-cycle analysis/eco-system impact of harvesting and large scale cultivation; clear GMO regulation; academic/industry facilitation and knowledge transfer.

Participants of AB-SIG Roadmap workshop in Manchester:

Na	me	Organisation
Rebecca	Allen	Eminate
Michelle	Carter	Biosciences KTN
Blanche	Coleman	NERC
Jane	Garnett	Technology Greenhouse Ltd
Jim	Gilmour	University of Sheffield
Merlin	Goldman	Technology Strategy Board
Sheila	Heymans	SAMS
Adrian	Higson	NNFCC
Tom	Jenkins	Biosciences KTN
Tim	Kruger	University of Oxford
Marco	Lizzul	University College London
Paul	Lucas	AB Sugar
Joanne	MacDonald	SAMS
Joe	McDonald	Varicon Aqua Solutions
Jenni	McDonnell	Environmental Sustainability KTN
Jagroop	Pandhal	University of Sheffield
Jean	Phillips	Biosciences KTN
Jon	Pittman	University of Manchester
Mark	Randle	ETDE
Shaun	Richardson	University of Swansea
Andrew	Spicer	Algenuity
Michele	Stanley	AB-SIG
Jim	Trueman	IfM
Seetharaman	Vaidyanathan	University of Sheffield
Marit	Valseth	Innovation Norway
Jon	Williams	Aquapharm Biodiscovery
Kate	Willsher	IfM

Participants of AB-SIG Roadmap workshop in London:

Catherine Ainsworth University of Durham Richard Burt Chelsea Technologies Group Jodie Clarke NERC Duncan Eggar BBSRC Rodney Foster CEFAS Chris Franklin NERC Irina Guschina University of Cardiff Patricia Harvey University of Greenwich Graham Howes BP Alternative Energy Imoh Ilevbare IfM Tom Jenkins Biosciences KTN Hans Kleivdal Uni Environment Norway Carole Llewellyn Plymouth Marine Laboratory John Love University of East Anglia Gianluca Memoli National Physical Laboratory John Milledge University of Southampton Nadia Munday URS Infrastructure & Environment UK Jean Phillips Biosciences KTN Saul Purton University College London Nander Robertson Glenside Beatrix Schlarb-Ridley InCrops Enterprise Hub Steve Skill Plymouth Marine Laboratory Michele Stanley AB-SIG Alastair Sutherland Glasgow Caledonian University Campbell Tang Centre for Process Innovation		Name	Organisation
JodieClarkeNERCDuncanEggarBBSRCRodneyFosterCEFASChrisFranklinNERCIrinaGuschinaUniversity of CardiffPatriciaHarveyUniversity of GreenwichGrahamHowesBP Alternative EnergyImohIlevbareIfMTomJenkinsBiosciences KTNHansKleivdalUni Environment NorwayCaroleLlewellynPlymouth Marine LaboratoryJohnLoveUniversity of ExeterJoanneMacDonaldSAMSGillMalinUniversity of East AngliaGianlucaMemoliNational Physical LaboratoryJohnMilledgeUniversity of SouthamptonNadiaMundayURS Infrastructure & Environment UKJeanPhillipsBiosciences KTNSaulPurtonUniversity College LondonNanderRobertsonGlensideBeatrixSchlarb-RidleyInCrops Enterprise HubSteveSkillPlymouth Marine LaboratoryMicheleStanleyAB-SIGAlastairSutherlandGlasgow Caledonian UniversityJoannaSzaubAlgenuityCampbellTangCentre for Process InnovationPatriciaThornleyUniversity of Manchester	Catherine	Ainsworth	University of Durham
DuncanEggarBBSRCRodneyFosterCEFASChrisFranklinNERCIrinaGuschinaUniversity of CardiffPatriciaHarveyUniversity of GreenwichGrahamHowesBP Alternative EnergyImohIlevbareIfMTomJenkinsBiosciences KTNHansKleivdalUni Environment NorwayCaroleLlewellynPlymouth Marine LaboratoryJohnLoveUniversity of ExeterJoanneMacDonaldSAMSGillMalinUniversity of East AngliaGianlucaMemoliNational Physical LaboratoryJohnMilledgeUniversity of SouthamptonNadiaMundayURS Infrastructure & Environment UKJeanPhillipsBiosciences KTNSaulPurtonUniversity College LondonNanderRobertsonGlensideBeatrixSchlarb-RidleyInCrops Enterprise HubSteveSkillPlymouth Marine LaboratoryMicheleStanleyAB-SIGAlastairSutherlandGlasgow Caledonian UniversityJoannaSzaubAlgenuityCampbellTangCentre for Process InnovationPatriciaThornleyUniversity of Manchester	Richard	Burt	Chelsea Technologies Group
Rodney Foster CEFAS Chris Franklin NERC Irina Guschina University of Cardiff Patricia Harvey University of Greenwich Graham Howes BP Alternative Energy Imoh Ilevbare IfM Tom Jenkins Biosciences KTN Hans Kleivdal Uni Environment Norway Carole Llewellyn Plymouth Marine Laboratory John Love University of Exeter Joanne MacDonald SAMS Gill Malin University of East Anglia Gianluca Memoli National Physical Laboratory John Milledge University of Southampton Nadia Munday URS Infrastructure & Environment UK Jean Phillips Biosciences KTN Saul Purton University College London Nander Robertson Glenside Beatrix Schlarb-Ridley InCrops Enterprise Hub Steve Skill Plymouth Marine Laboratory Michele Stanley AB-SIG Alastair Sutherland Glasgow Caledonian University Campbell Tang Centre for Process Innovation	Jodie	Clarke	NERC
ChrisFranklinNERCIrinaGuschinaUniversity of CardiffPatriciaHarveyUniversity of GreenwichGrahamHowesBP Alternative EnergyImohIlevbareIfMTomJenkinsBiosciences KTNHansKleivdalUni Environment NorwayCaroleLlewellynPlymouth Marine LaboratoryJohnLoveUniversity of ExeterJoanneMacDonaldSAMSGillMalinUniversity of East AngliaGianlucaMemoliNational Physical LaboratoryJohnMilledgeUniversity of SouthamptonNadiaMundayURS Infrastructure & Environment UKJeanPhillipsBiosciences KTNSaulPurtonUniversity College LondonNanderRobertsonGlensideBeatrixSchlarb-RidleyInCrops Enterprise HubSteveSkillPlymouth Marine LaboratoryMicheleStanleyAB-SIGAlastairSutherlandGlasgow Caledonian UniversityJoannaSzaubAlgenuityCampbellTangCentre for Process InnovationPatriciaThornleyUniversity of Manchester	Duncan	Eggar	BBSRC
Irina Guschina University of Cardiff Patricia Harvey University of Greenwich Graham Howes BP Alternative Energy Imoh Ilevbare IfM Tom Jenkins Biosciences KTN Hans Kleivdal Uni Environment Norway Carole Llewellyn Plymouth Marine Laboratory John Love University of Exeter Joanne MacDonald SAMS Gill Malin University of East Anglia Gianluca Memoli National Physical Laboratory John Milledge University of Southampton Nadia Munday URS Infrastructure & Environment UK Jean Phillips Biosciences KTN Saul Purton University College London Nander Robertson Glenside Beatrix Schlarb-Ridley InCrops Enterprise Hub Steve Skill Plymouth Marine Laboratory Michele Stanley AB-SIG Alastair Sutherland Glasgow Caledonian University Joanna Szaub Algenuity Campbell Tang Centre for Process Innovation Patricia Thornley University of Manchester	Rodney	Foster	CEFAS
Patricia Harvey University of Greenwich Graham Howes BP Alternative Energy Imoh Ilevbare IfM Tom Jenkins Biosciences KTN Hans Kleivdal Uni Environment Norway Carole Llewellyn Plymouth Marine Laboratory John Love University of Exeter Joanne MacDonald SAMS Gill Malin University of East Anglia Gianluca Memoli National Physical Laboratory John Milledge University of Southampton Nadia Munday URS Infrastructure & Environment UK Jean Phillips Biosciences KTN Saul Purton University College London Nander Robertson Glenside Beatrix Schlarb-Ridley InCrops Enterprise Hub Steve Skill Plymouth Marine Laboratory Michele Stanley AB-SIG Alastair Sutherland Glasgow Caledonian University Joanna Szaub Algenuity Campbell Tang Centre for Process Innovation Patricia Thornley University of Manchester	Chris	Franklin	NERC
Graham Howes BP Alternative Energy Imoh Ilevbare IfM Tom Jenkins Biosciences KTN Hans Kleivdal Uni Environment Norway Carole Llewellyn Plymouth Marine Laboratory John Love University of Exeter Joanne MacDonald SAMS Gill Malin University of East Anglia Gianluca Memoli National Physical Laboratory John Milledge University of Southampton Nadia Munday URS Infrastructure & Environment UK Jean Phillips Biosciences KTN Saul Purton University College London Nander Robertson Glenside Beatrix Schlarb-Ridley InCrops Enterprise Hub Steve Skill Plymouth Marine Laboratory Michele Stanley AB-SIG Alastair Sutherland Glasgow Caledonian University Joanna Szaub Algenuity Campbell Tang Centre for Process Innovation Patricia Thornley University of Manchester	Irina	Guschina	University of Cardiff
Imoh Illevbare IfM Tom Jenkins Biosciences KTN Hans Kleivdal Uni Environment Norway Carole Llewellyn Plymouth Marine Laboratory John Love University of Exeter Joanne MacDonald SAMS Gill Malin University of East Anglia Gianluca Memoli National Physical Laboratory John Milledge University of Southampton Nadia Munday URS Infrastructure & Environment UK Jean Phillips Biosciences KTN Saul Purton University College London Nander Robertson Glenside Beatrix Schlarb-Ridley InCrops Enterprise Hub Steve Skill Plymouth Marine Laboratory Michele Stanley AB-SIG Alastair Sutherland Glasgow Caledonian University Joanna Szaub Algenuity Campbell Tang Centre for Process Innovation Patricia Thornley University of Manchester	Patricia	Harvey	University of Greenwich
Tom Jenkins Biosciences KTN Hans Kleivdal Uni Environment Norway Carole Llewellyn Plymouth Marine Laboratory John Love University of Exeter Joanne MacDonald SAMS Gill Malin University of East Anglia Gianluca Memoli National Physical Laboratory John Milledge University of Southampton Nadia Munday URS Infrastructure & Environment UK Jean Phillips Biosciences KTN Saul Purton University College London Nander Robertson Glenside Beatrix Schlarb-Ridley InCrops Enterprise Hub Steve Skill Plymouth Marine Laboratory Michele Stanley AB-SIG Alastair Sutherland Glasgow Caledonian University Joanna Szaub Algenuity Campbell Tang Centre for Process Innovation Patricia Thornley University of Manchester	Graham	Howes	BP Alternative Energy
Hans Kleivdal Uni Environment Norway Carole Llewellyn Plymouth Marine Laboratory John Love University of Exeter Joanne MacDonald SAMS Gill Malin University of East Anglia Gianluca Memoli National Physical Laboratory John Milledge University of Southampton Nadia Munday URS Infrastructure & Environment UK Jean Phillips Biosciences KTN Saul Purton University College London Nander Robertson Glenside Beatrix Schlarb-Ridley InCrops Enterprise Hub Steve Skill Plymouth Marine Laboratory Michele Stanley AB-SIG Alastair Sutherland Glasgow Caledonian University Joanna Szaub Algenuity Campbell Tang Centre for Process Innovation Patricia Thornley University of Manchester	lmoh	llevbare	IfM
Carole Llewellyn Plymouth Marine Laboratory John Love University of Exeter Joanne MacDonald SAMS Gill Malin University of East Anglia Gianluca Memoli National Physical Laboratory John Milledge University of Southampton Nadia Munday URS Infrastructure & Environment UK Jean Phillips Biosciences KTN Saul Purton University College London Nander Robertson Glenside Beatrix Schlarb-Ridley InCrops Enterprise Hub Steve Skill Plymouth Marine Laboratory Michele Stanley AB-SIG Alastair Sutherland Glasgow Caledonian University Joanna Szaub Algenuity Campbell Tang Centre for Process Innovation Patricia Thornley University of Manchester	Tom	Jenkins	Biosciences KTN
John Love University of Exeter Joanne MacDonald SAMS Gill Malin University of East Anglia Gianluca Memoli National Physical Laboratory John Milledge University of Southampton Nadia Munday URS Infrastructure & Environment UK Jean Phillips Biosciences KTN Saul Purton University College London Nander Robertson Glenside Beatrix Schlarb-Ridley InCrops Enterprise Hub Steve Skill Plymouth Marine Laboratory Michele Stanley AB-SIG Alastair Sutherland Glasgow Caledonian University Joanna Szaub Algenuity Campbell Tang Centre for Process Innovation Patricia Thornley University of Manchester	Hans	Kleivdal	Uni Environment Norway
JoanneMacDonaldSAMSGillMalinUniversity of East AngliaGianlucaMemoliNational Physical LaboratoryJohnMilledgeUniversity of SouthamptonNadiaMundayURS Infrastructure & Environment UKJeanPhillipsBiosciences KTNSaulPurtonUniversity College LondonNanderRobertsonGlensideBeatrixSchlarb-RidleyInCrops Enterprise HubSteveSkillPlymouth Marine LaboratoryMicheleStanleyAB-SIGAlastairSutherlandGlasgow Caledonian UniversityJoannaSzaubAlgenuityCampbellTangCentre for Process InnovationPatriciaThornleyUniversity of Manchester	Carole	Llewellyn	Plymouth Marine Laboratory
Gill Malin University of East Anglia Gianluca Memoli National Physical Laboratory John Milledge University of Southampton Nadia Munday URS Infrastructure & Environment UK Jean Phillips Biosciences KTN Saul Purton University College London Nander Robertson Glenside Beatrix Schlarb-Ridley InCrops Enterprise Hub Steve Skill Plymouth Marine Laboratory Michele Stanley AB-SIG Alastair Sutherland Glasgow Caledonian University Joanna Szaub Algenuity Campbell Tang Centre for Process Innovation Patricia Thornley University of Manchester	John	Love	University of Exeter
Gianluca Memoli National Physical Laboratory John Milledge University of Southampton Nadia Munday URS Infrastructure & Environment UK Jean Phillips Biosciences KTN Saul Purton University College London Nander Robertson Glenside Beatrix Schlarb-Ridley InCrops Enterprise Hub Steve Skill Plymouth Marine Laboratory Michele Stanley AB-SIG Alastair Sutherland Glasgow Caledonian University Joanna Szaub Algenuity Campbell Tang Centre for Process Innovation Patricia Thornley University of Manchester	Joanne	MacDonald	SAMS
John Milledge University of Southampton Nadia Munday URS Infrastructure & Environment UK Jean Phillips Biosciences KTN Saul Purton University College London Nander Robertson Glenside Beatrix Schlarb-Ridley InCrops Enterprise Hub Steve Skill Plymouth Marine Laboratory Michele Stanley AB-SIG Alastair Sutherland Glasgow Caledonian University Joanna Szaub Algenuity Campbell Tang Centre for Process Innovation Patricia Thornley University of Manchester	Gill	Malin	University of East Anglia
NadiaMundayURS Infrastructure & Environment UKJeanPhillipsBiosciences KTNSaulPurtonUniversity College LondonNanderRobertsonGlensideBeatrixSchlarb-RidleyInCrops Enterprise HubSteveSkillPlymouth Marine LaboratoryMicheleStanleyAB-SIGAlastairSutherlandGlasgow Caledonian UniversityJoannaSzaubAlgenuityCampbellTangCentre for Process InnovationPatriciaThornleyUniversity of Manchester	Gianluca	Memoli	National Physical Laboratory
JeanPhillipsBiosciences KTNSaulPurtonUniversity College LondonNanderRobertsonGlensideBeatrixSchlarb-RidleyInCrops Enterprise HubSteveSkillPlymouth Marine LaboratoryMicheleStanleyAB-SIGAlastairSutherlandGlasgow Caledonian UniversityJoannaSzaubAlgenuityCampbellTangCentre for Process InnovationPatriciaThornleyUniversity of Manchester	John	Milledge	
Saul Purton University College London Nander Robertson Glenside Beatrix Schlarb-Ridley InCrops Enterprise Hub Steve Skill Plymouth Marine Laboratory Michele Stanley AB-SIG Alastair Sutherland Glasgow Caledonian University Joanna Szaub Algenuity Campbell Tang Centre for Process Innovation Patricia Thornley University of Manchester	Nadia	Munday	URS Infrastructure & Environment UK
NanderRobertsonGlensideBeatrixSchlarb-RidleyInCrops Enterprise HubSteveSkillPlymouth Marine LaboratoryMicheleStanleyAB-SIGAlastairSutherlandGlasgow Caledonian UniversityJoannaSzaubAlgenuityCampbellTangCentre for Process InnovationPatriciaThornleyUniversity of Manchester	Jean	Phillips	Biosciences KTN
Beatrix Schlarb-Ridley InCrops Enterprise Hub Steve Skill Plymouth Marine Laboratory Michele Stanley AB-SIG Alastair Sutherland Glasgow Caledonian University Joanna Szaub Algenuity Campbell Tang Centre for Process Innovation Patricia Thornley University of Manchester	Saul	Purton	University College London
Steve Skill Plymouth Marine Laboratory Michele Stanley AB-SIG Alastair Sutherland Glasgow Caledonian University Joanna Szaub Algenuity Campbell Tang Centre for Process Innovation Patricia Thornley University of Manchester	Nander	Robertson	Glenside
Michele Stanley AB-SIG Alastair Sutherland Glasgow Caledonian University Joanna Szaub Algenuity Campbell Tang Centre for Process Innovation Patricia Thornley University of Manchester	Beatrix	Schlarb-Ridley	InCrops Enterprise Hub
Alastair Sutherland Glasgow Caledonian University Joanna Szaub Algenuity Campbell Tang Centre for Process Innovation Patricia Thornley University of Manchester	Steve	Skill	Plymouth Marine Laboratory
Joanna Szaub Algenuity Campbell Tang Centre for Process Innovation Patricia Thornley University of Manchester	Michele	Stanley	AB-SIG
Campbell Tang Centre for Process Innovation Patricia Thornley University of Manchester	Alastair	Sutherland	Glasgow Caledonian University
Patricia Thornley University of Manchester	Joanna	Szaub	Algenuity
,	Campbell	Tang	Centre for Process Innovation
	Patricia	Thornley	University of Manchester
Jim Trueman IfM	Jim	Trueman	IfM
Isabella Van Damme Mars Chocolate	Isabella	Van Damme	Mars Chocolate
Mike Weston UKERC	Mike	Weston	UKERC
Narumon Withers Harvey Defra	Narumon	Withers Harvey	Defra
Michael Yates Algenuity	Michael	Yates	Algenuity

TABLES ON CASE STUDIES 2, 3, 5, 7, 9, 13 AND 14

Table Case Study 2: Nutrient recovery from sewage treatment works (STW) through High Rate Algal Ponds or microalgal biofilms

Why will this be an important market?	 Need to retrieve nutrients such as nitrate and phosphate in future, rather than synthesise fertilisers from scratch. In line with Defra's mitigation and adaptation plans to help deliver the UK obligation to reduce greenhouse gas emissions by 80% by 2050 and work to carbon budgets stemming from the Climate Change Act 2008, within the context of the EU Emissions Trading System¹⁴⁹. Climate change adaptation is adequately included in waste water infrastructure planning. For instance, climate change may also result in reduced annual or seasonal river flows which may in turn require higher standards of sewage treatment in order to meet statutory environmental requirements¹⁵⁰. Tertiary waste polishing with algae could be a means of achieving this.
How will the algal technology be commercialised?	 Through pilot schemes and demonstration facilities Example is NIWA plant in Christchurch, New Zealand. They have a 5 hectare demonstration facility with High Rate Algal Ponds and extraction of oil using supercritical water¹⁵¹.
Advantages of Algal Biotechnology over incumbent approaches	 Algal production for low value/high volume bulk chemicals or commodities such as biofuel or bioplastic where material does not enter food chain. Lower cost means of generating biomass. Adaptation of an existing problem, but will require a change in infrastructure for the UK. Advanced Integrated Wastewater Pond Systems have been widely demonstrated. Plants are larger than conventional STW, but have lower construction and operational costs. They have been successfully demonstrated in the US and in developing countries¹⁵².
Timescale to commercialisation	2-5 yrs with existing technologies
Market size	 The UK has approximately 9000 sewage treatment works in total (Defra 2012). Every day in England and Wales the public sewerage system collects approximately 10 billion litres of waste water from households and industry¹⁵³.
Growth rate	 The number of households in the UK is predicted to grow to 27.5 million in 2033, an increase of 5.8 million over 2008¹⁵⁴ Household water consumption in England has been rising since the 1950s and is now approximately 150 litres per person per day (l/p/d)¹⁵⁵
Companies operating in this market sector	 STW: UK Water companies: Anglian / Northern Ireland / Northumbrian / Severn Trent / South West / Southern / Thames / Wessex / Yorkshire Water; United Utilities Algal Turf Scrubber

Treatment Pond Systems for Plant Operators, Engineers, and Managers. EPA/600/R-11/088.

Based on Waterwise data, 2006

¹⁴⁹ National Policy Statement for Waste Water: A framework document for planning decisions on nationally significant waste water infrastructure (Defra 2012): ISBN: 9780108511486

¹⁵¹ Rupert Craggs et al. (2012) Hectare-scale demonstration of High Rate Algal Ponds for Enhanced Wastewater Treatment and Biofuel Production Journal of Applied Phycology pp. 1-9, doi:10.1007/s10811-012-9810-8 ¹⁵² United States Environment Protection Agency (2011) Principles of Design and Operations of Wastewater

¹⁵³ National Policy Statement for Waste Water: A framework document for planning decisions on nationally significant waste water infrastructure (Defra 2012): ISBN: 9780108511486

154 Laying the Foundations: A Housing Strategy for England November 2011 available at

communities.gov.uk/documents/housing/pdf/2033676.pdf

UK Ecosystems potential to commercialise			
Barriers	New system for the UK, unproven in these conditions	 Requirement for land (3-5x area of conventional sewage works 156), and proximity of CO₂ source Need for training and skills in industry Needs complete exchange of infrastructure Risk averseness of water industry -hesitant to invest in test facilities 	 Regulation / discharge consents Short day lengths, low temperature in winter Inertia of existing facilities / utility companies
Risks	 Would need to demonstrate year-round reliability (medium) 	 Need a secure market for biomass (low) 	Public perception (low)
Fit with UK capability	 Good existing R&D base (biology & engineering) 	Large market potential	 Fit with research funding priorities
Gaps in UK capability	 Proof of concept in UK conditions Pilot / demonstration plants Data availability 	 Adoption of technology that has been successfully commercialised abroad 	 Lack of agenda / strategy Needs change of mindset from treatment to resource recovery / revenue generation
Key innovation and R&D needs	 Strain development / adapta Process integration and refi Data for models – economic Need for demonstration 		gical/LCA
	Requirement for technology partnerships	Support needs	Other
Enablers for successful UK commercialisation	 Collaboration between industry, technology providers and academia People: skill transfer to end users 	 Funding: public sector 'push' Demonstration facility – as per Christchurch example 	 Academic skills & existing algae industry Economics & LCA / sustainability models
Key actions required to develop UK competitive advantage relative to the global commercial landscape	 Build demo plant Assess performance Refine through R&D If LCA and economic asses refurbishment of STW infras 	sment are promising, deploy at new structure is needed	STWs/wherever

¹⁵⁶ Pers. comm., Steve Skill (Dec 2012)

Table Case Study 3: Macroalgae for the remediation of fish farm waste: Integrated Multi-Trophic **Aquaculture (IMTA)**

Why will this be an important market?	 Fish consumption is growing, and farmed species such as salmon, trout and halibut account for up to half of total human consumption. Farmed fish produce nitrate-rich waste, which disperses in the local coastal or offshore environment. While there is no specific levy on nitrate pollution due to waste from aquaculture, farms are monitored by the regional environmental protection agencies under the Water Framework Directive. For example, in Scotland, applicants for marine aquaculture licenses are expected to conduct computer modelling to show how waste will be dispersed from the site. In this instance IMTA could be a strategy to mitigate against pollution from fish farm waste. Run off from agriculture also contributes to locally increased nutrient levels.
How will the algal technology be commercialised?	 Intensified research to lead to pilot and then demonstration projects Example: the IDREEM (Increasing Industrial Resource Efficiency in European Mariculture) EU FP7 program is looking at multi-trophic aquaculture to retrieve nutrients currently lost as pollution from aquaculture 157.
Timescale to commercialisation	 2-5 yrs with existing technologies to demonstration phase (commercial operations exist in Canada)
Advantages of Algal Biotechnology over incumbent approaches	 At present excess nutrients are released into the water and are not recovered; <i>i.e.</i>, there are no incumbent approaches. Computer modelling (FARM - Farm Aquaculture Resource Management model) demonstrates quantitatively how much nitrate/phosphate can be reduced ¹⁵⁸. Potential to use biomass as saleable product (could enter food chain, if HACCP was established / appropriate accreditation obtained) Sustainable: green approach, offers ecosystem services (to be proved by sustainability analysis based on data from test/pilot site)
Market size	 In 2012 around 47% of all fish directly consumed by humans worldwide is produced in aquaculture (value: Seafish UK). According to Cefas the total UK value of aquaculture finfish production in 2010 was £484 million, an increase from 2009 of £29 million¹⁵⁹. In the case of carbon and nitrogen credits the markets are forcibly created as a result of regulation and become more attractive under a cap-and-trade scheme. The only place where there is a nitrogen/nutrient credit market is in the US (namely Connecticut). However it is unknown whether shellfish farms are already able to sell credits into a market.¹⁶⁰
Growth rate	 Aquaculture production in the UK has risen from 152,000 tonnes live weight to 201,000 tonnes between 2001 and 2010¹⁶¹ (average annual growth of 3.5%).
UK companies operating in this market sector	 UK: producers of Atlantic Salmon (Scotland), rainbow trout, sea trout and halibut The Scottish Salmon Company have begun trials with IMTA at their site at Loch Roag¹⁶²
UK Ecosystems potential to commercialise	 High: The UK is a coastal nation, aquaculture is important. Turns an environmental problem into an opportunity Provides a solution to problem at point of origin IMTA would minimise changes in the benthic environment due to waste build up from aquaculture and mitigate effects on ecosystems.

cordis.europa.eu/search/index.cfm?fuseaction=proj.document&PJ_RCN=13107002
 longline.co.uk/site/products/aquaculture/farm/
 Finfish News, Number 13, Summer Autumn 2012. Published by Cefas (cefas.defra.gov.uk/publications/finfishnews.aspx)

160 Pers. comm., Rui Gomes Ferreira, Longline Aquaculture / IDREEM. February 2013

ftp://ftp.wcc.nrcs.usda.gov/wntsc/mktBased/nitrogenCreditTrading.pdf

Eurostat (from http://epp.eurostat.ec.europa.eu/statistics_explained/index.php/Fishery_statistics)

sams.ac.uk/news-room/news-items/scottish-salmon-company-starts-excellent-trials

	Technological	Commercial	Other
Barriers	 Turn-key integration with infrastructure of aquaculture industry has to be developed Sites need to be compatible with macroalgae growth – current, light attenuation etc 	 Need for training and skills in industry Lack of hard economic data on the viability of IMTA 	Regulatory and marine licensing – on a case by case basis
Risks	Biosecurity – concerns that an integrated system could provide reservoirs or vectors for disease in fish (medium)	Economics might not be favourable (Full economic case can only be made once data from pilot sites is available) (low)	 LCA might show that overall the process is not greener than current practice (low) If intensive fertilising were to stop, the need for denitrification of ground water would decrease, leading to under-used capacity (very low)
Fit with UK capability	Expertise in aquaculture research in Scotland	Commercial aquaculture already established	Research funding priorities fit e.g., RCUK
Gaps in UK capability	 Urgent need for scale-up facilities (test / pilot / demonstration plants) Data availability 	Translation of existing research into market place	 Lack of agenda / strategy Needs change of mindset in industry from treatment as waste to resource recovery / revenue generation
Key innovation and R&D needs	Data for models – economic/teNeed for demonstration	and species s, bioaccumulation of antibiotics or pechnological/environmental/ecologic res for biomass produced in this ma	cal/LCA
	Requirement for technology partnerships	Support needs	Other
Enablers for successful UK commercialisation	 Collaboration between industry, technology providers and academia People: skill transfer to end users 	 Funding: public sector 'push' TSB grant for globally recognised pilot and demonstration facilities (£5 - 10 Million) 	 Academic skills & existing algae industry Economics & LCA / sustainability models
Key actions required to develop UK competitive advantage relative to the global commercial landscape	 Build (and fund!) pilot plant, as Economic modelling Proceed to demonstration stag Develop turn-key solution for g 		R&D

Table Case Study 5: Macroalgae-derived cosmetics

Why will this be an important market?	 Growing middle class spending power for cosmetic products in BRIC countries and globally Rising average life expectancy leads to increasing popularity of anti-ageing products Increasing consumer awareness of the benefit of natural products Exotic natural ingredients have strong marketing power and can command a premium price 163 Existing body of R&D: Search of US Patent Collection database for "cosmetics AND (algae OR seaweed)" yielded 1834 patents Novel functional ingredients from macroalgal/microalgal sources include: mycospoine-like amino acids, terpenes and carotenoids, tocopherols, pyrenoine (extract from macroalga Fucus) – all are under investigation as photo-protective ingredients
How will the algal technology be commercialised?	 Collaborations between cosmetic manufacturers and academic institutions Commercialisation of bioprospecting R&D by cosmetic ingredient suppliers/ replacement of petrochemical products Acquisition of smaller companies by larger multinationals
Timescale to commercialisation	• 1-5 yrs
Advantages of Algal Biotechnology over incumbent approaches	 Customer preference for "natural" ingredients Consumer awareness / concern over synthetic ingredients such as nanoparticles used in sun screens. In the case of sunscreens, there is clinical evidence of mycosporine-like amino acids from algae as effective UVA protectants (product: Helioguard, <i>Porphyra</i> extract 165).
Market size	 Natural & organic products have 2% share of global personal care product sales. In some countries – such as the USA, Germany, Austria – the market share is reaching 10 percent¹⁶⁶.
Growth rate	 UK market: Revenues have been slowly increasing by about 6% per annum since the financial crisis started in 2008. Many UK brands look to export market where growth is faster¹⁶⁷. Global revenues in the personal care market to climb to USD 14 billion in 2015
UK companies operating in this market sector	 Boots, L'Oreal, Nivea, Body Shop, Garnier Seaweed Organics, Highland Soap Co
UK Ecosystems potential to commercialise	 High: If biomass can be grown in conjunction with bioremediation of nutrient-rich, but non-toxic / non-harmful waste streams If harvesting from wild is carried out in ecologically sensitive way to manage stocks, without depleting nutrients from ecosystems

67 | Page

 $^{^{163}}$ e.g., Crème de la Mer serum concentrate with sea kelp retails for £620 for 100 ml

^{(&}lt;u>cremedelamer.co.uk/product/CAT9090/PROD12421/The+Concentrate</u>)

164 F. de la Coba, *et al*, Prevention of the ultraviolet effects on clinical and histopathological changes, as well as the heat shock protein-70 expression in mouse skin by topical application of algal UV-absorbing compounds, Journal of Dermatological Science, Volume 55, Issue 3, September 2009, Pages 161-169 doi:10.1016/j.jdermsci.2009.06.004 mibellebiochemistry.com/common/search.php

Organic Monitor (December 2011) Global Market for Natural & Organic Personal Care Products, (3rd edition), Organic Monitor #1003-60.

	Technological	Commercial	Other
Barriers	 Providing evidence of the mechanism of action 	Competing against raw material from Asian markets	Getting organic certification
Risks	 reliable supply of high quality feedstock may not be guaranteed (low) 	 Oversupply of product / loss of exclusivity and associated price (medium) Lack of investors (mediumhigh) 	Pollution events can make natural stocks unsuitable (low)
Fit with UK capability	 Cottage industry in UK but also some high-end premium product developers Existing industry of manufacturers of cosmetic ingredients keen to have "natural" replacements 	 Fits high value, low volume profile appropriate for production in the UK 	 Research funding priorities fit: Industrial biotechnology; healthy ageing (funding opportunities for elucidating mechanisms of action)
Gaps in UK capability	 Access to sufficient quantities of raw material Bioprospecting activities could be much stronger 	 Stronger alignment between research/ bioprospecting and industry would be helpful 	 Lack of agenda / strategy
Key innovation and R&D needs	downstream processing	ective techniques for cultivation, han echanism of action / benefit to skin	-
	Requirement for technology partnerships	Support needs	Other
Enablers for successful UK commercialisation	 Collaboration between industry and academia on formulation More macroalgae farmers, and partnerships with processors 	 Funding: Non equity, for international collaborative activities, government investment Smaller contribution requirement for UK Plc for UK grants 	 Academic skills & existing algae industry Economics & LCA / sustainability models Mechanism to grow small into medium sized companies
Key actions required to develop UK competitive advantage relative to the global commercial landscape	 Provide non equity funding Utilise existing UK industry e 	expertise for commercialisation	·

Table Case Study 7: Macroalgae as premium sea vegetable

Why will this be an important market?	Asian market: Since Fukosh demand for products from alNew trends in eating for dom		anese products; market	
How will the algal technology be commercialised?	 Feeding into existing market Creating new interest (dome Via strong branding, promoti Move from hand-harvested t 	on of UK product as superior	xport)	
Timescale to commercialisation		ow of export is likely to close if man competing countries (e.g., Israe		
Advantages of Algal Biotechnology over incumbent approaches	 Possibility for organic certific 	 Advantage of UK product: premium for branding Possibility for organic certification Opportunity to scale growth in ecologically sensitive manner 		
Market size	use of seaweeds as vegetable of dry products per year 168. • 99.6% of global cultivated m (58.4%, 11.1 million tonnes). 1.8 million tonnes), the Republic of Korea (2.3%, 44).	n country which has established a ples or ingredients, the consumption acroalgae production comes from Indonesia (20.6%, 3.9 million ton Iblic of Korea (4.7%, 901,700 tonrous), Japan (2.3%, 432, the United Republic of Tanzania (just eight countries: China ines), the Philippines (9.5%, nes), Democratic People's 800 tonnes), Malaysia	
Growth rate	 The premium sea vegetable has seen year on year growth in the UK, but the biggest increase in demand is for the export market¹⁷⁰. 			
UK companies operating in this market sector	 Seaweed Health Foundation, Böd Ayre, Hebridean Seaweed, Irish Seaweeds (N.Ireland) Clearspring (source from multiple countries) 			
UK Ecosystems potential to commercialise	 Capitalising on our large coastal region and clean water – in particular for Soil Association organic certification Larger scale production (if not in conjunction with fish farming for bioremediation, <i>c.f.</i> Case Study 3) may deplete nutrients and influence ecosystem; fertilisation may remediate that, but may cause other effects¹⁷¹ 			
	Technological	Commercial	Other	
Barriers	Considerable scale-up required in short timescale in order not to miss window of opportunity, with associated infrastructure challenges	Cost and volume of biomass relative to what is currently available	Need for premium marketing and distribution network in Asia	
Risks	 Species that are desirable for export may not be native to UK; e.g., the species of Porphyra popular in Japan is not currently cultivated here. (high) 	 High capital venture, need to spend on brand visibility and consumer education (high) 	Ecological concerns if scale-up happens too quickly to evaluate impacts (low-medium)	
Fit with UK capability	Ecology expertise for environmentally responsible scale-up	 Industry could develop and adapt existing good knowledge base Seaweed industry exists but small scale 	ImageGood expertise in marine special planning	

Fleurence, J. et al (2012) What are the prospects for using seaweed in human nutrition and for marine animals raised through aquaculture? Trends in Food Science & Technology Volume 27, Issue 1,Pages 57–61 DOI: 10.1016/j.tifs.2012.03.004

FAO (2012) State of World Fisheries and Aquaculture, available at www.fao.org/docrep/016/i2727e/i2727e00.htm

Pers. comm., Derek Przybycien, Clearspring Ltd, 2013

¹⁷¹ *c.f.* AB-SIG SRA, p. 13

69 | Page

Gaps in UK capability	and harvesting – for this missing market has not been	 HACCP if integrated with fish farming / bioremediation Need to educate public about the health benefits of algae foods and ingredients
Key innovation and R&D needs	 Scale-up Environmental impact assessments Integrating with waste streams (nutrients, surplus heat/ energy technologies/infrastructure for cost effective cultivation and harv Case Study 3) Determining health benefits of algae from UK waters Updated and accurate surveys of stocks of accessible wild harve 	resting (e.g., IMTA, see
	Requirement for technology Support needs partnerships	Other
Enablers for successful UK commercialisation	 Integrating with existing technology/aquaculture industry, utilising knowledge base (species, environment) Understanding of market conditions UKTI links to Asian markets/companies that could be distributers Educating investors 	 Successful communication within UK: press, celebrity chefs, Japanese restaurants, Establish demand for exports
Key actions required to develop UK competitive advantage relative to the global commercial landscape	 Immediate: Identify which species attractive to the Asian market can sustainably be grown in the UK Existing seaweed producers to work with UKTI and Japanese restaurants on an offering for the Japanese premium market, then to make introductions to potential distributors for Asian markets Longer term: Existing producers, and any new ventures, to work with celebrity chefs in parallel to scaling up production Develop and expand flavour products based on algae Work on public perception to move algae products from niche towards wider adoption 	

Table Case Study 9: Macroalgae to Ethanol for chemicals

Why will this be an important market?	 Demand for non-petrochemical based material Important to establish a sustainable source: at the moment largely petrochemically derived, or from 1st generation carbohydrate feedstocks Ethanol is used in many solvent applications in pharmaceuticals, toiletries and cosmetics, detergents and household cleaners, coatings and inks and processing solvents. There is a growing market for "eco" household products which use bio-based chemicals, and often command a significant price premium. Ethanol is a chemical intermediate for the manufacture of ethyl acetate, ethyl acrylate, acetic acid, glycol ethers and ethylamines, as well as other products.
How will the algal technology be commercialised?	 Collaborative R&D on integrated biorefining: Identification of suitable feedstocks and processing Provide detailed technical and economic feasibility study Scale-up of production, harvesting and processing to increase production volumes and lower costs through economy of scale Industry follow up from research programmes such as EnAlgae Buy-in from chemical companies specialising in intermediates
Timescale to commercialisation	 High value/speciality chemicals: 5-10 years for appropriate production capacity to be reached Base commodity chemicals: >10 years for appropriate production capacity to be reached Recent developments¹⁷² using an engineered strain of <i>E.coli</i> have yielded of 0.281 weight ethanol/weight dry macroalgae (equivalent to ~80% of the maximum theoretical yield from the sugar composition in macroalgae). However, if the entire present harvest (6000 tonnes) were converted to ethanol that would equate to approximately 2 million litres of ethanol.
Advantages of Algal Biotechnology over incumbent approaches	 Sustainable feedstock (to be proved by LCA) Truly renewable No competition for arable land / food crops
Market size	 96% beverage grade is worth £66-70/hl gross price UK 99% industrial grade is worth £870-930/tonne gross price UK¹⁷³
Growth rate	 Ethanol consumption for fuel increased by 19 percent in 2012, from 652 million litres in 2011 to a record high of 774 million litres in 2012¹⁷⁴. Sales of eco-cleaning products increased from £3 million in 2000 to £42 million in 2010¹⁷⁵.
UK companies operating in this market sector	TMO Renewables, Ensus, British Sugar, Vivergo, Vireol, - none as yet on algal bioethanol
UK Ecosystems potential to commercialise	 Capitalising on our large coastal region Larger scale production (if not in conjunction with fish farming for bioremediation, <i>c.f.</i> Case Study 3) may deplete nutrients and influence ecosystem; fertilisation may remediate that, but may cause other effects¹⁷⁶

¹⁷² Wargacki et al. (2012) An Engineered Microbial Platform for Direct Biofuel Production from Brown Macroalgae Science Vol. 335 no. 6066 pp. 308-313 DOI: 10.1126/science.1214547 ICIS Market Intelligence, November 2012

¹⁷⁴ UK Department of Energy & Climate Change, 2013

¹⁷⁵ Co-Operative Bank Ethical Consumerism Report 2011 available a <u>co-operative.coop/PageFiles/416561607/Ethical-</u> Consumerism-Report-2011.pdf

c.f. AB-SIG SRA, p. 13, available at:

connect.innovateuk.org/c/document_library/get_file?p_I_id=2244614&folderId=7863898&name=DLFE-81879.pdf

	Technological	Commercial	Other
Barriers	 Scale up of process has to be established 	Lack of fundingLack of proof of concept	 Ecological soundness of scaled growth has to be established
Risks	LCA may show there is little improvement compared to 1 st generation bioethanol (very low)	 May prove too expensive compared to 1st generation bioethanol (medium) so therefore only suitable for premium applications¹⁷⁷ A Crown Estate commission report estimates that manufacture of ethanol from seaweed is likely to be in the region of £200/te more expensive than from corn¹⁷⁸. 	Race with lignocellulosic bioethanol production (medium-high)
Fit with UK capability	 CPI fermentation infrastructure Ecology expertise for environmentally responsible scale- up of cultivation 	 Existing chemical industry Industry could develop and adapt existing good knowledge base 	Good expertise in marine special planning
Gaps in UK capability	 Cost effective cultivation & harvesting Scale up 	Seaweed industry exists but only at small scale	 Low-cost, efficient seaweed storage and/or transport
Key innovation and R&D needs	 Pilot scale facilities - proof of concept Integrating with waste streams (nutrients, surplus heat/ energy) and existing technologies/infrastructure for cost effective cultivation and harvesting (e.g., IMTA, see Case Study 3) Develop appropriate low carbon / low cost downstream processing, e.g., by modifying pre-existing processes Environmental impact assessments of growth at scale 		
	Requirement for technology partnerships	Support needs	Other
Enablers for successful UK commercialisation	 Integrating with existing technology/infrastr ucture, utilising knowledge base (species, environment, fermentation) 	Funding for proof of concept	Legislation
Key actions required to develop UK competitive advantage relative to the global commercial landscape	•	rocesses to evaluate which is the overall ' based manufacturing, incentives to displa	•

¹⁷⁷ US Dept of Energy study (Macroalgae as a Biomass Feedstock: A Preliminary Analysis, US Dept of Energy 2010) reports that for a plant operating at 500,000 dry tonnes per day input the price per dry tonne of macroalgae feedstock is \$28 to make an ethanol product which is \$0.48 per litre

¹⁷⁸ Lewis, J., Salam, F., Slack, N., Winton, M., Hobson, L. 2011. 'Product options for the processing of marine macroalgae – Summary Report'. The Crown Estate, 44 pages. ISBN: 978-1-906410-31-5

Table Case Study 13: Microalgae for synthetic biofuels via thermochemical conversion

Why will this be an important market?	 EU Biofuels directive – to incorporate 10% biofuel by 2020, but 5% must come from non-food sources Provides a means for decentralised energy generation Contributes to energy mix, leading to higher resilience in energy supply Opens opportunity for community energy systems (micro generation) 		
How will the algal technology be commercialised?	 Growth of algal biomass: Integrated biorefining: growth coupled to remediation / waste treatment Exploitation of "brownfield" land and existing infrastructure Thermochemical processing: Partnerships between algae producers, thermochemical process experts and existing liquid transport fuel suppliers Needs to be based on outstanding science Need to produce fuel we use, not just fuel we can produce - understanding of downstream applications 		
Timescale to commercialisation Advantages of Algal Biotechnology over incumbent approaches	 15-20 years Does not need to compete for food/arable land/fresh water Fit with reuse, recover, recycle at different levels (infrastructure, land, nutrients, resources, etc) Potential for higher biomass yields than land plants, and quasi-continuous culture rather 		
Market size	than seasonal harvesting (but proof of concept is still outstanding) • Price is €900 per tonne (2011) ¹⁷⁹ • EU: 10,842,655 tonnes of oil equivalent (2011) ¹⁸⁰		
Growth rate	 Overall biofuel consumption in Europe grew by only 3.1% from 2010 to 2011 representing a slowdown (possibly due to interim targets for incorporation into transport fuel being reached)¹⁸¹ 		
UK companies operating in this market sector	 UK Players: Argent, Harvest Energy. EU Players: Diester (Fr), Neste (Fi), ADM Biodiesel (DE) 		
UK Ecosystems potential to commercialise	 Could provide ecosystem service if biomass could be grown on nutrients from waste water, e.g., sewage works. 		
	Technological Comme	ercial O	ther
Barriers	1 07	sive biofuels too nsive for the free market	Higher value markets for algal biomass are not saturated, hence growing algae for a low value product like fuel is less attractive
Risks	LCA may stay unfavourable (medium) Volat high)	ility in oil prices (medium-	Instability in political drivers (medium-high)
Fit with UK capability	• Strong academic research base • Links	to waste water industry mediation > creating ergy from by-products	Existing momentum through project like BioMara, EnAlgae
Gaps in UK capability	 Scale up R&D into downstream processing 	elling	Low insolation during winter Restrictions on growing GM algae

FO Licht

180 EurObserv'ER Biofuels Barometer report, July 2012
181 Ibid

Key innovation and R&D needs	 Supply route security (available biomass: sustainable production of higher yields with minimal inputs at lower costs) Strain selection and development of GM tools Better understanding of biology and biochemistry Closed systems: light penetration, light colour and dosage, downflow reactors Open systems: local ecology, dynamics of the microcosm, fertilisation/mixing, co-siting; pilot plants (Micro-)process intensification More economic harvesting / dewatering / processing technologies Alternative processing, e.g., hydrothermal Data for LCA, sustainability and economic analysis Knowledge / technology dissemination (innovation and industry sector linked) Matrix of complementary sciences / technologies 		
	Requirement for technology partnerships	Support needs	Other
Enablers for successful UK commercialisation	 Links to other existing industry frameworks Harvesting technologists and thermochemistry experts 	Pilot scale demosFundingReturn on Investment	 Demand for bio- based alternatives by industry, and by consumers
Key actions required to develop UK competitive advantage relative to the global commercial landscape			

Table Case Study 14: Knowledge Industry for Consultancy on Algal Know-how

Why will this be an important market?	 Consultancy on markets / economics: Market intelligence is essential for commercialisation Data = Knowledge = Profits Consultancy on environmental factors: Long-term survival of any industry demands minimizing environmental impacts Understanding of environmental impacts allows de-risking Ensuring responsible management of resources / CSR Feasibility studies (incl desktop) will be required to ensure project success Consultancy on general algal know-how: Acceleration of learning; development of teaching tools Policy advice Work on public perception; outreach tools for community engagement and buy-in (preventing NIMBYism in relation to algal installations) Preventing duplication / reinventing the wheel (maximise use of existing community knowledge)
How will the algal technology be commercialised?	 Selling knowledge (standard techniques) Addressing a global market Working with industry, policy makers, NGOs, teaching and training institutions, communities Promote positive interactions between players in the supply chain Through offering reports, reviews, advice, feasibility studies, training programmes
Timescale to commercialisation	• 1-5 yrs
Advantages of Algal Biotechnology over incumbent approaches	 Industry imperative: Underpins entire commercialisation and value chain Cannot assume the translation of knowledge from academia to industry without mediation Cannot assume buy-in from stakeholders (planning / regulatory bodies, communities) for introduction and expansion of algal technologies without mediation

Market size	 Policy makers, developers, regulators; consumers, community groups, neighbouring countries knowledge-intensive services have become the predominant source of jobs in the UK economy, and have been responsible for a large proportion of new jobs over the last 30 years¹⁸² 		
Growth rate	Follows growth of industry, and of environmental concerns where algae can offer remediation		
UK companies and organisations operating in this market sector	 InCrops, NNFCC, PML Applications, SRSL (SAMS), Centre for Process Innovation AB-SIG, KTNs 		
	Technological	Commercial	Other
Barriers	 Knowledge gaps Technology impacts (ROI/ LCA) 	 Start-up companies often do not have capital to access services of knowledge providers 	 Need for marine test sites (macro) and pilot/scale up plants (micro) for real life data on which to base modelling
Risks	 Lack of access to basic data, especially on scale up 	Commercial sensitivity/IPR	 Growing amount of non-vetted / potentially misleading information in public domain
Fit with UK capability	 Algal collections Marine ecosystem modelling Biotech experience Broader systems modelling 	 Innovation vouchers / collaborative R&D awards which include a partner in this industry 	 UK participates in many major algal research networks
Gaps in UK capability	 Existing training (PhDs/ next generation) Data on operational macroalgae farms / microalgae pilots Competition for numerical skills 	Funding / grants to enable start ups to access market analysis and advice	Small algal community
Key innovation and R&D needs	 Very high resolution numeric ocean models Validated data from test and pilot sites More global outlook 		
	Requirement for technology partnerships	Support needs	Other
Enablers for successful UK commercialisation	Built in role for knowledge transfer within grants	 Investment in pilot sites, giving access to knowledge providers for data acquisition and analysis 	 Promotion Bringing it up agenda National programme Perceptions, information gap, understanding
Key actions required to develop UK competitive advantage relative to the global commercial landscape	 Investment in pilots and scale Retention of skilled graduate Encouragement of interdiscip 	s in field	

Work Foundation Report: A plan for growth in the knowledge economy, Technical Annex A Knowledge Economy Programme Paper June 2011 – figures based upon ONS workforce jobs data, 1978 to 2010